AUTHOR INDEX OF PAPERS PUBLISHED IN VOLUME 56 OF THE JOURNAL OF DAIRY SCIENCE AND OF ABSTRACTS PRESENTED AT THE ANNUAL MEETING*, THE SOUTHERN DIVISIONAL MEETING[S], AND THE NORTHEAST DIVISIONAL MEETING[NE] OF THE AMERICAN DAIRY SCIENCE ASSOCIATION

Abilay, T. A., 642*
Abraham, S., 650*
Abrams, R. M., 1058
Adams, F. W., 670*
Adams, G. D., 306[S]; 312[S]
Adams, H. P., 683*
Adams, T. E., 652*
Adhikari, H. R., 406
Aframe, J. Z., 307[S]
Aggarwal, P. K., 1562
Aho, W. A., 1382[NE]
Albright, J. L., 654*; 667*; 668*
Alexander, R. M., 306[S]
Alford, J. A., 631*; 632*; 636*; 1267; 1271
Allaire, F. R., 673*; 674*
Allen, C., Jr., 328
Allen, R. S., 1305
Almquist, J. O., 202
Al-omar, M. E., 303[S]
Alvarez, M. B., 189
Amir, S., 1424
Ammerman, C. B., 822
Anderson, B. A., 685; 984
Anderson, M. E., 633*; 1405
Anderson, M. J., 645*; 663*
Anderson, R. R., 655*; 656*; 1159
Andrus, D. F., 676*
Anello, F. J., Jr., 1380[NE]
Angus, R. C., 627*
Appleman, R. D., 411; 668*; 1063; 1450
April, M., 657*
Arave, C. W., 667*
Arnold, B. L., 310[S]
Arnold, R. G., 632*
Ashlaf, M., 681*; 1379[NE]
Ashworth, U. S., 623*; 630*
Atkeson, G. W., 675*
Ausavanodom, N., 637*
Autrey, K. M., 643*

Bade, D. H., 124
Baker, A. J., 1291
Bakri, M., 622*; 623*
Balazs, I., 635*
Baldwin, K. A., 634*
Baldwin, R. L., 340; 350; 366; 1033
Barbiers, A. R., 658*
Bargeloh, J. F., 647*
Barnard, S. E., 1380[NE]
Barnes, W. J., 642*
Barrington, G. P., 677*
Bartley, E. E., 643*; 817; 1102
Bates, D. W., 495
Batra, T. R., 662*; 670*; 1085
Batson, D. B., 309[S]
Bauman, D. E., 1312; 1520
Baumgardt, B. R., 642*; 1383[NE]
Baumrucker, C. R., 621*; 1092
Baxter, H. D., 119
Bayer, R. C., 1381[NE]
Bazer, F. W., 1058
Bearden, B. J., 648*; 680*
Beardsley, G. L., 640*; 683*
Beatty, J. F., 310[S]; 641*
Beck, T. W., 653*
Beckett, R. C., 640*
Beitz, D. C., 672*
Bennink, M. R., 1564
Ben-yakov, M., 1107
Berger, P. J., 805
Bergt, G. P., 659*
Berlin, E., 685; 984
Bhargava, R. K., 674*
Biggs, D. A., 45; 854
Bills, D. D., 626*
Bird, F. H., 1381[NE]
Birk, Y., 724
Bitman, J., 651*
Blackmon, D. M., 98; 212; 309[S]; 312[S]; 646*; 647*; 1526
Bloomfield, V. A., 66; 415; 628*; 699
Blum, J. W., 459
Bodine, A. B., 305[S]; 310[S]; 1472
Bodyfelt, F. W., 626*
Bohren, H. U., 988
Bollinger, D. H., 301[S]
Bonavita, N. J., 641*
Bone, J. F., 670*
Bonewitz, E. R., 649*
Boren, F. W., 643*
Bothast, R. J., 241
Bouchard, R., 665*; 1276; 1383[NE]; 1429; 1435; 1445
Bowman, M. C., 775
Bradshaw, J. G., 1011
Brannon, C. C., 648*
Branton, C., 309[S]; 313[S]; 662*
Braund, D. G., 1385[NE]
Bray, D. R., 148
Breslaw, E. S., 626*
Bricas, E., 419
Bringe, A. N., 885
Brisson, G. J., 1445
Britt, D. G., 679*
Brodie, B. O., 1564
Brooker, D. B., 633*; 1405
Brown, C. A., 789; 799
Brown, D. P., 12
Brown, L. R., 1382[NE]
Brown, M. A., 635*
Brown, W. H., 306[S]; 642*; 666*; 1324
Brunson, D. B., 659*
Bryan, T. A., 1381[NE]
Buffington, D. E., 311[S]
Bull, L. S., 106; 1383[NE]; 1384[NE]
Burns, M. H., 246
Burnside, E. B., 662*; 670*; 675*; 1085
Bush, L. J., 306[S]; 312[S]
Butcher, D. F., 168
Butcher, K. R., 675*
Button, F. S., 664*
Buxton, B., 1354
Byrne, W. F., 311[S]

Call, E. P., 649*
Callahan, C. J., 656*
Calo, L. L., 1080
Cameron, N. W., 314[S]
Cantrell, S. E., 824
Capps, Patsy S., 307[S]
Carawan, R. E., 625*; 636*
Cardwell, J. T., 304[S]; 305[S]; 306[S]
Carlson, J. R., 671*
Carter, J. C., Jr., 646*
Carter, R., 1382[NE]
Caruolo, E. V., 729

Cassell, B. G., 1164; 1171; 1178
Cate, L. R., 1352
Chandler, P. T., 643*; 666*
Chang, R. R., 303S
Chaplin, R. K., 671*
Chapman, H. R., 716
Chase, L. E., 642*; 1383NE
Chawan, C. B., 1381NE
Chawan, D. B., 637*
Cheatham, L. F., Jr., 642*
Chen, Y., 630*
Cheng, W. S., 625*
Chicco, C. F., 822
Cho, I. C., 629*
Christensen, R. L., 681*; 1379NE
Chudgar, A., 699
Clark, J. H., 651*; 664*; 678*; 763; 1531; 1564
Clark, J. L., 656*
Claypool, D. W., 670*
Clifton, C. M., 307S; 621*; 648*
Cliver, D. O., 1329
Coleman, W. W., II, 1380NE
Collins, E. B., 1180; 1253
Conlin, B. J., 654*
Conrad, H. R., 592; 646*; 647*; 653*; 665*; 669*; 1276; 1383NE; 1429; 1435
Convey, E. M., 484; 569; 652*; 653*
Cooney, C. M., 635*
Cooper, D. S., 633*
Coppock, C. E., 218; 224; 654*
Cords, B. R., 1512
Corley, L. D., 312S
Cornell, D. G., 1479
Coulter, S. T., 76; 1492
Cousins, R. J., 246
Covey, F. C., 1154
Cox, S., 1
Creegan, M. E., 660*; 1540
Crowley, J. W., 1375
Cummings, K. R., 308S; 313S
Cupps, P. T., 878

D'addamin, G. H., 640*
Daniel, J. W., 306S
Daniels, L. B., 314S; 824; 932
Dash, S. K., 644*
Davenport, D. G., 465; 648*
Davis, C. L., 337; 651*; 1520; 1564
Davison, K. L., 671*
Deane, D. D., 631*
Dell, W. J., 621*
Deluca, H. F., 885; 889
Derbyshire, J. C., 649*
Derrig, R. G., 651*; 664*; 678*; 763; 1312; 1531
De Ryck, L., 864
Desai, A., 304S
Desjardins, C., 658*; 1382NE
Deverna, J. D., 1047
Devero, J. E., 286
Devilbiss, E. D., 1498
Dewan, R. K., 66; 415; 699
Dickerson, R. W., Jr., 6
Dickey, H. C., 677*
Dickey, J. F., 306S; 307S
Dickinson, E. O., 671*
Dickinson, F. N., 660*; 661*; 662*; 673; 1545
Dill, C. W., 305S
Dimick, P. S., 1025; 1337; 1380NE; 1411
Dinesen, N., 623*
Divatia, M. A., 706
Dolan, E. T., 631*
Dolby, R. M., 52
Dolge, K. L., 1385NE
Douglass, L. W., 640*
Downey, H. F., 1319
Driedger, A., 124
Driver, H. C., 675*
Dryden, L. P., 651*
Duffus, M. L., 303S
Dunham, J. R., 649*
Dutrow, N. A., 663*

Eaton, H. D., 246; 252; 395
Eberhart, R. J., 487
Eckhart, M. D., 647*
Edgerton, L. A., 451
Edwards, V. H., 627*
Eitenmiller, R. R., 303S; 636*
Elliker, P. R., 635*
Elliot, J. M., 375
Elliott, C. S., Ir., 181
Elliott, J. A., 629*
Ellis, R., 636*
Ellis, R. P., 640*
El-Negoumy, A. M., 630*; 1486
Emery, R. S., 258; 436; 569; 1187
Emmons, D. B., 629*
England, D. C., 635*
Enlow, C. M., 664*
Erb, R. E., 654*; 656*; 667*
Erickson, R. W., 654*
Ernstrom, C. A., 622*; 623*; 626*; 634*
Erwin, R. E., 304S
Escano, J. R., 314S; 1144
Eskeland, B., 1340
Everett, R. W., 602

Fairchild, T. P., 1381NE
Falk, D. E., 672*
Farra, P. A., 665*
Farrell, H. M., Jr., 1195
Fay, Sheila, R., 305S
Ferris, T. A., 659*
Fife, C. L., 625*; 655*
Fischer, J. R., 633*; 1405
Fisher, G. R., 655*
Fisher, L. J., 677*
Flynn, M. F., 306S; 313S
Foote, R. H., 399; 639*
Fosgate, O. T., 307S; 314S; 648*
Fossum, G., 994
Fowler, P. R., 307S; 648*
Francis, D. W., 1011
Frederick, H. M., 595
Fredricksson, W. B., 311S
Freeman, A. E., 662*; 675*; 941; 1459
Freeman, M. G., 662*; 675*; 676*; 678*; 1085
Friend, T. H., 668*
Frier, H. I., 395
Fries, G. F., 668*; 669*
Fritschel, P. R., 677*
Frobish, R. A., 678*; 679*; 1531; 1564
Fujihara, T., 820
Fukuwatari, Y., 177
Fulton, L. A., 1380NE
Fuquay, J. W., 306S; 310S
Furuhashi, T., 820

Gandhi, N. R., 630*; 1004
Ganguli, N. C., 19; 61
Gardner, R. W., 385; 390; 683*
Garnot, P., 419
Garnier, J., 419
Garrett, J. N., Jr., 314S
Gaunt, S. N., 270; 673*
Gelda, C. S., 625*
Gentry, R. P., 98; 212; 309S; 312S; 646*; 647*; 1526
Getzendaner, M. E., 315S
Gholson, J. H., 303S
Gil, L. A., 757
Gilbert, G. R., 409
Gill, J. L., 484; 644*; 973
Gilliland, S. E., 633*; 638*
Gilmore, H. C., 1380NE
Gilmore, L. O., 592
Gilson, W. D., 640*
Goering, H. K., 137; 233; 1347
Goings, R. L., 672*
Gomes, W. R., 674*
Gomila, L. F., 306S; 310S; 314S
Goodeaux, S. D., 306S
Gordin, S., 724

Gordon, C. H., 119; 129; 229; 233; 1154; 1347; 1382[NE]
Gordon, W. G., 558; 628*
Gorewit, R. C., 652*
Gorgacz, E. J., 252
Gough, R. H., 303[S]
Graber, G., 316[S]
Graf, G. C., 181; 446
Graf, T. F., 1575
Graham, D. M., 263
Gray, H. G., 683*
Grayson, U. G., 264
Gregory, M. E., 625*
Grieve, D. G., 218; 224; 670*; 678*
Grimes, H. W., Jr., 307[S]; 308[S]
Gross, M., 649*
Grossman, M., 1207
Groves, M. L., 558; 628*
Guidry, A. J., 657*
Gupta, K. G., 553; 1562
Guy, E. J., 627*
Gwazdauskas, F. C., 309[S]; 311[S]; 873

Hackett, A. J., 641*
Haenlein, G. F. W., 672*; 1017; 1381[NE]
Hafs, H. D., 261; 451
Hahn, L., 581
Halbach, K. J., 642*
Hale, W. H., 595
Halevi, A., 1424
Hall, R. C., Jr., 246; 252; 395
Hamada, T., 473
Hamdan, I. Y., 638*
Hamdy, M. K., 303[S]
Hamilton, R. R., 674*
Hansen, A. P., 625*; 628*; 636*
Hansen, P. M. T., 629*; 631*
Hargrove, G. L., 409; 674; 1380[NE]
Hargrove, R. E., 631*; 632*; 1382[NE]
Harper, W. J., 531
Harris, R. A., 310[S]
Harsh, S. B., 653*
Harshbarger, K. E., 678*; 679*; 1531
Hartmann, P. E., 896; 903
Harvey, W. R., 805
Harwalkar, V. R., 629*; 835; 998
Hatch, R. C., 682*
Hawkins, G. E., 308[S]; 1415
Hayes, H. H., 1385[NE]
Hayes, K. C., 246
Head, H. H., 309[S]; 311[S]; 312[S]
Hedde, R. D., 665*; 1567
Helmer, L. G., 643*
Hemken, R. W., 137; 315[S]; 664*; 665*; 670*
Henderson, C. R., 602
Henricks, D. M., 306[S]
Hesseltine, C. W., 241
Hibbs, J. W., 646*; 647*
Hickman, C. G., 947
Hidalgo, J., 988
Hilderbrand, E. S., 1159
Hileman, L. H., 316[S]
Hill, D. L., 668*
Hill, J. R., 306[S]; 307[S]
Hillers, J. K., 661*; 674*
Hillman, D., 653*
Hines, H. C., 672*; 673*
Hinkson, R. S., Jr., 683*
Hodgson, R. E., 500; 614
Hoglund, C. R., 488; 830; 1354
Holbert, D., 639*
Holmes, D. G., 622*; 623*
Hollon, B. F., 309[S]; 313[S]
Holsinger, V. H., 1498
Holter, J. B., 587; 915; 1385[NE]
Holtz, E. W., 655*
Hood, L. F., 611; 858
Hooven, N. W., Jr., 660*; 666*; 1149; 1298; 1380[NE]; 1540
Hoover, W. H., 1052
Hornsby, Q. R., 824; 932
Houghton, G. E., 279
Huber, J. T. 663*; 679*; 1283
Hunter, A. G., 670*
Hustad, G. O., 1111; 1118
Hutjens, M. F., 654*
Hyde, C. E., 308[S]
Hyde, G. M., 679*
Hyodo, Y., 177

Ingle, D. L., 1520
Irvine, D. M., 45; 317; 323; 854
Iwasaki, T., 623*

Jacobsen, D. H., 292
Jacobson, D. R., 311[S]; 645*; 664*; 665*; 670*
Jacobson, N. L., 672*
Jahn, E., 643*; 666*
Jain, M. K., 19
Jain, S. K., 674*
Jamison, J. W., 676*
Janolino, V. G., 625*
Janzen, J. J., 305[S]; 310[S]; 1472
Jao, Y. C., 631*
Jay, L. G., 639*
Jelen, P., 632*; 1492; 1505
Jensen, E. L., 646*; 660*
Jezeski, J. J., 429
Joe, A. M., 626*
Johnson, A. R., 635*
Johnson, D. G., 666*; 679*
Johnson, H. D., 189; 581; 642*; 1420
Johnson, J. C., Jr., 311[S]; 775
Johnson, J. B., 1354
Johnson, R. G., 655*
Johnson, S., 297
Jolly, R., 624*
Jones, F. T., 633*
Jones, G. A., 671*
Jones, G. M., 113; 207
Jones, S. B., 558
Jones, V. A., 625*; 636*
Jorgensen, N. A., 677*; 885; 889
Julien, J. P., 1445

Kabuga, J. D., 1385[NE]
Kalab, M., 629*; 835; 998
Kalan, E. B., 558
Karn, J. W., 676*
Kason, C. M., 630*
Keenan, T. W., 621*; 649*; 978; 1092
Kennett, W. S., 915
Keown, J. F., 1070
Keys, J. E., Jr., 129; 229
Khaleel, S. A., 1381[NE]
Kiddy, C. A., 673*
Kilmer, L. H., 1047
Kim, H. Y., 305[S]
King, C. C., Jr., 307[S]; 308[S]
Kingsbury, E. T., 673*
Kinsella, J. E., 649*
Kirk, J. R., 637*
Kitayama, T., 177
Kitts, W. D., 744
Kiyosawa, I., 61; 177
Kleyn, D. H., 626*
Kliewer, R. H., 1164; 1171; 1178
Kliman, P. G., 984
Knauer, M. W., 655*
Knox, F. E., 311[S]; 775
Koehler, P. E., 303[S]; 636*
Kontson, A., 144
Koprowski, J. A., 184
Kornowski, R., 994
Kosikowski, F. V., 12; 26; 33; 39; 146; 623*; 624*; 627*; 631*; 633*; 1128; 1135; 1182; 1396; 1400
Kothari, S. L., 423
Krishnamurti, C. R., 744

KROGER, M., 409; 1380[NE]
KRONFELD, D. S., 459; 896; 903
KRUSEMAN, J., 988
KUHN, E. R., 864
KULSHRESTHA, D. C., 638*
KUMAR, P., 553
KUMAR, S., 255; 637*
KUNZ, W. D., 683*
KURTZ, F. E., 144; 161; 1139
KUWAHARA, K., 61

LACROIX, D. E., 636*; 1267; 1271
LAMB, R. C., 645*; 663*
LANARI, D., 1384[NE]
LANCASTER, E. B., 241
LANE, G. T., 124; 313[S]
LANE, W. G., 675*
LANG, R. L., 1291
LANGLOIS, B. E., 633*
LAROSE, J. A. G., 998
LARSEN, H. J., 646*
LARSON, L. L., 639*
LASALLE, T. J., 676*
LASSITER, J. W., 312[S]
LAW, B. A., 716
LEAHEY, J. M., 587
LEDFORD, R. A., 710
LEE, A. J., 661*
LEE, D. D., JR., 682*
LEE, E. C., 624*;
LEE, J. A., 641*
LEGATES, J. E., 675*
LEIGHTON, R. E., 124; 313[S]
LENGEMANN, F. W., 753; 935
LEONARD, H. A., 677*
LEPPER, T. L., 1319
LESLIE, J. E., 1011
LESSARD, J. R., 677*
LEUCK, D. B., 775
LI, H. H., 663*
LIAO, F. T., 1386[NE]
LICHTENWALNER, R. E., 1283
LIM, R. S., 623*
LIM, S. G., 843
LIN, S. H. C., 415
LINEWEAVER, J. A., 653*
LITTLE, J. A., 643*
LITTLEDIKE, E. T., 672*
LOBBEN, J. C., 1253
LODGE, G. A., 677*
LOEWENSTEIN, M., 303[S]; 621*
LOGGINS, P. E., 822
LOUIS, S., 340
LOX, C. D., 748
LU, M. H., 656*; 1159
LUCAS, E. W., 316[S]
LUDWICK, T. M., 640*; 673*
LUKE, H. A., 294
LUNDQUIST, L. E., 306[S]
LUSZCZ, L. J., 310[S]
LYKE, W. A., 310[S]; 311[S]; 312[S]; 1344
LYNCH, G. P., 828; 1154; 1382[NE]

MACADAM, W. R., 487
MACHLIN, L. J., 575
MACKIE, R. I., 939
MACLEOD, G. K., 670*; 678*
MACNEIL, J. H., 1380[NE]
MADAN, M. L., 1420
MALKUS, L. A., 1382[NE]
MALVEN, P. V., 667*
MANNING, P. B., 1492
MAO, I. L., 661*; 675*
MAO, W., 729
MARROW, G. S., 669*
MARSHALL, R. T., 624*; 633*; 655*; 849; 1405
MARSHALL, S. P., 307[S]
MARTH, E. H., 638*
MARTIG, J., 1042
MARTIN, J. H., 303[S]; 305[S]
MARTINEZ, E. A., 304[S]
MARX, G. D., 654*; 666*; 677*
MASON, B. D., 744
MATHER, R. E., 672*
MATHEWS, D. K., 632*
MATHEWS, R. W., 661*
MATSOUKAS, J., 1381[NE]
MATTOS, W., 650*
MAVROPOULOU, I. P., 1128; 1135
MAXCY, R. B., 164; 632*
MAYER, G. P., 1042
MCCASKEY, T. A., 643*
MCCORMICK, W. C., 311[S]
MCCOY, G. C., 682*
MCDANIEL, B. T., 660*; 661*; 662*; 959; 1545
MCDONOUGH, F. E., 631*; 632*
MCDOWELL, R. E., 1080
MCGEE, W. H., 306[S]; 310[S]
MCGILL, L. A., 626*
MCGILLIARD, A. D., 1305
MCGILLIARD, L. D., 676*
MCKAY, L. L., 634*
MCLAURIN, W. J., 308[S]
MCNABB, LINDA, 314[S]
MCQUEEN, R. E., 680*
MEADOWS, C. E., 654*; 669*; 675*
MEISER, J. A., 641*
MELLENBERGER, R. W., 1312; 1520
MELO, T. S., 628*
MELTON, S. L., 927
MERCIER, J. C., 627*
MERRILL, W. G., 218; 224
MESSER, R. G., 659*
METZLER, C. L., 675*
MEYER, R. M., 1102
MICHELSEN, C. H., 663*
MICKE, C. F., 668*; 1063; 1450
MICKELSEN, C. H., 645*
MICKELSEN, R., 629*
MIKKILINENI, S. R., 395
MIKOLAJCIK, E. M., 255; 631*; 637*; 638*
MILES, J. T., 119
MILLER, C. C., 658*
MILLER, C. N., 643*
MILLER, E., 311[S]; 645*
MILLER, G. E., 659*
MILLER, J. K., 92; 195; 378; 310[S]; 311[S]; 312[S]; 671*; 1344
MILLER, P. D., 952; 1080
MILLER, R. H., 84; 658*; 660*; 663*; 666*; 673*; 733; 1382[NE]; 1540
MILLER, R. W., 651*; 669*
MILLER, W. J., 98; 212; 309[S]; 312[S]; 646*; 647*; 1526
MILLETT, M. A., 1291
MITAL, B. K., 1379[NE]
MOE, P. W., 1149; 1298; 1384[NE]
MOELLER, N. J., 668*
MOHRENWEISER, H. W., 436
MOLLETT, T. A., 656*
MONK, E. L., 656*
MONTGOMERY, M. J., 119; 648*; 680*
MOORE, J. E., 757
MORENO, V., 33; 39
MORGAN, C. G., 633*
MORGAN, M. E., 626*
MORISI, F., 1123
MORR, C. V., 76; 415; 544; 635*; 699; 1095; 1258; 1389
MORRILL, J. L., 649*; 927
MORRIS, H. A., 429; 621*
MORROW, D. A., 261
MOSCOSO, W., 626*
MOSS, B. R., 311[S]
MUDGE, J. W., 654*
MULL, L. E., 304[S]
MULLER, L. D., 640*; 644*; 680*; 683*
MUNGLE, M. B., 312[S]
MURALIDHARA, K. S., 635*
MURPHREE, R. L., 309[S]
MURPHY, J. M., 678*
MURPHY, L. S., 1367
MURRILL, F. D., 655*
MURTHY, G. K., 1
MUSGRAVE, S. D., 1381[NE]

NAGASAWA, T., 61; 177
NAKAI, S., 630*; 690; 1559
NAMBUDRIPAD, V. K. N., 423
NATH, K. R., 710
NATZKE, R. P., 148
NAYLOR, H. B., 1379NE
NEATHERY, M. W., 98; 212; 309S; 312S; 646*; 647*; 1526
NEUMARK, H., 1424
NICKERSON, T. A., 636*; 843
NIELSEN, M. A., 632*
NIELSEN, N. A., 76
NIELSEN, V. W., 314S
NILSON, K. M., 625*; 655*; 681*
NITSAN, Z., 1107
NORDQUIST, P. T., 680*
NORMAN, H. D., 661*; 662*; 1545
NORTON, C. L., 649*
NOVAK, A. F., 316S

O'DELL, G. D., 648*
OGDEN, L. V., 621*
OLIVER, J. C., 655*
O'LOUGHLIN, K., 629*
OLSON, N. F., 1111; 1118
OLSON, W. G., 885; 889
OLVER, E. F., 679*
OSBORNE, E., 340
OTTERBY, D. E., 678*; 679*
OWEN, J. R., 119
OWENS, M. J., 640*; 683*; 783; 909; 1439
OXENDER, W. D., 184; 569; 659*

PAAPE, M. J., 84; 657*; 658*; 733; 1382NE
PALLANSCH, M. J., 161; 685; 984; 1139; 1479; 1498
PALMQUIST, D. L., 644*; 650*
PARDUE, F. F., 648*
PARK, R. L., 385; 390
PARKS, O. W., 328
PARMELEE, C. E., 668*
PARSONS, J. G., 635*; 647*
PASTORE, M., 1123
PATE, F. M., 98
PATEL, P. C., 406
PATTERSON, J. A., 312S
PATTON, S., 858; 978; 1473
PEARL, S. L., 1319
PEARSON, R. E., 660*; 666*; 1380NE; 1459
PEELER, J. T., 1011
PELSUE, N. H., JR., 968
PENDELL, H. W., 670*
PERRIN, J. J., 690
PETERSON, W., 308S; 313S
PFANDER, W. H., 1340
PICKENS, L. G., 669*
PIKE, T. L., 657*
PILKHANE, S. V., 304S
PLANTZ, P. E., 978; 1473
PLOWMAN, R. D., 660*
POLAN, C. E., 644*; 668*
POPE, A. L., 665*
PORUBCAN, R. S., 634*
POSATI, L. P., 632*; 1498
POST, F. J., 634*
POWELL, R. L., 812
POWERS, W. L., 1367
POYTON, D. L., 683*
PRESTON, R. L., 653*
PREWITT, L. R., 664*; 665*; 670*
PRITCHARD, D. E., 653*
PUHAN, Z., 317; 323
PUPPIONE, D. L., 1025; 1411
PUROHIT, V. D., 1085
PURSEL, V. G., 666*

RADER, E. R., 640*; 805
RADLOFF, H. D., 646*
RADMALL, M. B., 683*
RAKES, A. H., 465; 648*
RAMAGE, C. H., 649*
RAMSEY, H. A., 682*
RAND, A. G., JR., 1386NE
RAND, T. J., 652*
RANDOLPH, H. E., 303S; 304S; 305S
RANDY, H. A., JR., 181; 446
RAO, D. R., 1415
RAO, G. A., 650*
RAPHAEL, B. C., 1025; 1411
RASKIN, M., 1033
RASKIN, R. L., 1033
RAY, D. E., 748
RAYMOND, L. N., 672*
RAYMOND, M. N., 419
READ, R. B., JR., 6; 1011
REDDY, M. S., 622*; 634*; 638*
REDMAN, D. R., 657*
REED, D. E., 640*
REESE, W. H., 682*; 1385NE
REEVES, J. J., 652*
REICHL, J. R., 340
REINBOLD, G. W., 622*; 634*; 638*
REINECCIUS, G. A., 1095
REITER, B., 716
RENEAU, J., 670*
RENNIE, J. C., 676*
RIBADEAU DUMAS, B., 419
RICHARDSON, D. O., 309S
RICHARDSON, G. H., 630*; 637*; 706; 1004
RICHARDSON, T., 1111; 1118
RICHERT, S. H., 635*
RICHMOND, P. A., 611
RICHTER, R. L., 1095
RINDSIG, G. L., 662*
RIOS, G., 662*
ROBERTS, K. R., 647*
ROBERTSON, J. B., 643*
ROCK, C. G., 644*
RODGRIGUEZ, D., 680*
ROFFLER, R. E., 663*
ROLLINS, G. H., 307S; 308S
ROSE, W. M., 659*
ROSENAU, J. R., 76
ROSS, P. J., 641*
ROSS, R. H., 672*
ROUSSEAU, J. E., JR., 246; 252; 395
ROUSSEL, J. D., 306S; 310S; 314S; 641*
RUIZ, E. L., 633*; 1405
RUMERY, M. G. A., 680*
RUSOFF, L. L., 308S; 314S; 1144

SAAD, S., 636*
SADLER, A. M., 1267
SADLER, K., 655*
SAGAN, C. E., 935
SALAZAR, H., 651*
SALESSE, R., 419
SANDINE, W. E., 635*
SANDY, R. A., 644*
SASSER, R. G., 672*
SATTER, L. D., 663*; 664*; 665*; 1291
SAULS, J. N., 657*
SAUNDERS, F. B., 314S
SCANLAN, R. A., 626*
SCHAEFFER, L. R., 602
SCHANBACHER, F. L., 657*; 738
SCHILTZ, R. A., 658*
SCHINGOETHE, D. J., 622*; 644*; 647*; 680*; 683*; 783; 909; 1439
SCHMIDT, G. H., 1047
SCHOONAERT, J. H., 653*
SCHUGEL, LAVERNE M., 315S
SCHULTZ, L. H., 658*; 672*; 885; 889; 1017; 1097; 1569
SCHULTZE, W. D., 84; 331; 658*; 733
SCHWAB, C. G., 664*
SCHWALM, J. W., 672*
SCOTT, L., 681*
SEIDEL, G. E., JR., 399
SEIF, S. M., 581; 642*
SELBY, F. W., 652*
SELL, J. L., 671*
SELLARS, R. L., 634*

Senter, S. D., 1331
Senyk, G. F., 624*
Sewell, J. I., 680*
Shahani, K. M., 531; 626*
Shalichev, J., 171
Sharpe, M. E., 716
Shayanfar, F. A., 309[S]
Shellenberger, P. R., 642*
Sherbon, J. W., 52; 279
Sherrod, L. B., 923
Shipe, W. F., 624*
Shirley, J. E., 569
Shirley, R. L., 757
Shokair, M. H., 646*
Shook, G. E., 660*
Shovers, J., 994
Shukri, N. A., 629*
Siapantas, L. G., 631*
Sidhu, F. S., 635*
Sidhu, K. S., 258
Sims, J. A., 661*
Sinclair, C. L., 667*
Sinha, Y. N., 652*
Sklan, D., 869; 1107
Skrdlant, H. B., 1305
Skura, V., 622*
Smith, A. M., 682*; 1385[NE]
Smith, D. F., 828; 1154
Smith, J. W., 84; 658*; 660*; 666*; 1540
Smith, K. L., 304[S]; 738
Smith, L. A., 307[S]; 308[S]
Smith, L. W., 233; 668*; 669*
Smith, N. E., 340
Smith, R. C., 1415
Smith, R. L., 657*
Smith, V. G., 653*
Sniffen, C. J., 915; 1052; 1383[NE]
Snipes, M. B., 935
Somerhalder, B. R., 680*
Somkuti, G. A., 639*
Soung, Y. P., 305[S]
Spahr, S. L., 763
Sparrow, R. C., 664*
Speck, M. L., 633*; 638*
Speck, S. J., 621*
Speicher, J. A., 653*
Spessard, G. W., 653*
Spike, P. L., 669*
Spike, P. W., 812
Spires, H. R., 664*
Spurgeon, K. R., 635*
Stake, P. E., 309[S]; 646*; 647*; 783; 909; 1439
Stallcup, O. T., 306[S]; 313[S]
Stanley, D. W., 854
Staubus, J. R., 653*
Steele, R. L., 1385[NE]
Steinkraus, K. H., 1379[NE]
Steuernagel, G. R., 654*
Stoddard, G. E., 645*; 663*
Stone, W. K., 1331
Storm, T., 682*
Stormont, C., 673*
Stott, G. H., 748
Stowe, C. M., 659*
Stroup, W. H., 1
Stull, J. W., 627*; 642*; 666*; 1324
Styles, W. G., 690
Sud, R. K., 553; 1562
Sudweeks, E. M., 682*
Swaisgood, H. E., 625*; 628*; 629*
Swanson, E. W., 92; 195; 378; 310[S]; 671*; 1344
Swartz, A. N., 627*
Swenson, P. E., 1337; 1389
Szijarto, L., 45; 854

Tamsma, A., 144; 161; 1139
Tanev, G., 171
Tasaki, I., 820
Tatini, S. R., 429; 1512
Taylor, J. C., 316[S]
Taylor, R. R., 627*
Tenpas, G. H., 646*
Thatcher, W. W., 309[S]; 311[S]; 608; 873; 1058
Thayne, W. V., 168; 682*
Theurer, B., 595
Thiel, R. J., 655*
Thoele, Carol A., 1473
Thomas, J. W., 484; 659*; 1283
Thomas, R. O., 682*
Thomas, W. C., 1331
Thompson, M. P., 1185
Thompson, P. D., 657*; 658*
Tilleraas, T. W., 654*
Tinsley, W. A., 830
Tobon, H., 651*
Toma, S. J., 1559
Tomaszewski, M. A., 661*; 662*
Toms, J., 311[S]
Trojanor, J. J., 656*
Tucker, H. A., 184; 484; 652*; 653*
Tung, S., 672*
Turner, E. M., 641*
Twedt, R. M., 1011
Tyler, W. J., 660*
Tyrrell, H. F., 218; 1149; 1298; 1384[NE]

Uckert, J. R., 622*
Uechi, M., 177
Ueland, E. O., 654*
Urban, W. E., Jr., 587; 915; 1385[NE]
Utley, P. R., 311[S]

Vahora, G. Y., 626*; 634*
van der Heide, L., 1382[NE]
Vanderlaan, W. P., 652*
Vandersall, J. H., 106; 1383[NE]; 1384[NE]
Van Horn, H. H., 307[S]
Van Soest, P. J., 137; 233; 643*; 680*
Van Vleck, L .D., 1070; 1080
Vasavada, K. C., 621*
Verbovsky, P. D., 1180
Vestal, J. H., 1271
Viglia, A., 1123
Vines, D. T., 652*
Vinson, W. E., 1164; 1171; 1178
Voelker, H. H., 644*; 1439
Voigt, M. N., 303[S]; 636*
Voisey, P. W., 998
Volcani, R., 724; 869; 1107

Wachira, J. D., 665*
Waldern, D. E., 645*; 676*
Waldo, D. R., 129; 229
Walker, C. K., 375; 1383[NE]
Walker, N. J., 1337
Wallingford, G. W., 1367
Walstra, P., 621*
Walter, H. E., 1271
Wang, Mary Yu, 1253
Ward, G. E., 658*; 1097
Ward, G. M., 665*; 681*; 1567
Washam, C. J., 638*
Waterman, R., 1569
Watrous, G. H., Jr., 1380[NE]
Watson, V. H., 313[S]
Weaver, C. R., 653*
Weaver, G. B., 662*
Webb, D. W., 643*; 1102
Weckbach, L. S., 633*
Weese, S. J., 168
Wegner, T. N., 672*; 748
Weisheit, H. W., 655*
Welch, J. G., 681*; 682*; 1385[NE]
Wells, M. E., 639*
Wendlandt, R. M., 337
Wesala, W. D., 429
Wettemann, R. P., 261
White, C. H., 303[S]; 305[S]; 621*; 624*; 849
White, J. M., 676*; 789; 799; 1164; 1171; 1178
White, R. S., 630*; 637*
Whiting, F. M., 642*; 666*; 1324
Whittlestone, W. G., 1352
Wierzbicki, L. E., 26; 146; 627*; 1182; 1396; 1400

Wilcox, C. J., 311[S]; 312[S]; 608; 873; 1058
Willett, L. B., 669*
Williams, E. S., 641*
Williams, F. D., 634*
Williams, J. B., 670*
Williams, W. F., 640*; 641*
Wilson, H. K., 69
Wilson, R. B., 459
Wilton, J. W., 675*; 676*; 1085
Winningham, R. M., 932
Wippler, J. P., 655*; 1159
Wohlt, J. E., 1052; 1383[NE]
Wolfe, S. A., 654*
Wong, N. P., 636*; 1271
Woolf, H. D., 649*
Worley, E. E., 314[S]
Wrenn, T. R., 651*
Wuytack, F. C. M., 864

Yadava, R. K., 592
Yang, Y. T., 340; 350; 366
Yokoyama, M. T., 671*
Young, C. W., 659*
Young, J. W., 1305
Yungblut, D. H., 667*; 668*
Yver, D. R., 641*

Zaugg, N. L., 202
Zeliger, Y., 869
Zikakis, J. P., 672*; 1017

SUBJECT INDEX OF PAPERS PUBLISHED IN VOLUME 56 OF THE JOURNAL OF DAIRY SCIENCE AND OF ABSTRACTS PRESENTED AT THE ANNUAL MEETING* THE SOUTHERN DIVISIONAL MEETING[S], AND THE NORTHEAST DIVISIONAL MEETING[NE] OF THE AMERICAN DAIRY SCIENCE ASSOCIATION

AFLATOXIN
nitrogen balance, 1154
AMERICAN DAIRY SCIENCE ASSOCIATION
annual meeting, 1214
annual meeting invitation, 153
awards program, 1218
call for papers, 154, 1213, 1387, 1478
directors meeting, 1229
journal status, 1972, 155
nominations for officers, 505, 1388
officers, committees, 1238
presidential address, 1216
program 68th meeting, 511
student division awards, 1228
AMINO ACIDS
aminoethylphosphonic acid, 939
analysis, 939
lysine, dried whey, 1498
metabolism, protein quality, 1383
whey, combined, 1137
free, 1130, 1135
ANTIBIOTICS
oxytetracycline, blood, tissues, 659*
milk, 659*
urine, 659*
vital organs, 659*
neomycin, milk-out time, 658*
therapy, sanitation mastitis control, 658*
AYRSHIRE BREED
herdmates vs. contemporaries, progeny tests, 1545
lactation stage, fat, protein, 674*
milk composition, 271
parturient paresis control, 672*
perchlorate ingestion, milk iodine, 753

BACTERIOPHAGE
phosphate reduced, 637*
stability, S. *thermophilus*, 622*
streptococcal growth, lytic activity, 637*
BLOOD
composition, glucose uptake, 896, 903
copper, liver, 670*
fertility, polymorphism, 673*
flow, lactose, sodium, 729, 730
Holstein, progesterone, 641*
hormone analysis, 447
immunoglobulins absorbed, 312[S]
insulin, ketosis, metabolism, 672*
lipid amounts, composition, 1028
lipoproteins, 337
norepinephrine, fatty acids, 259
N metabolism, estrous, 744
radioactice I-125, I-131, 381
transferrin, polymorphisms, 672*
BLUE CHEESE
coagulant assay, mixtures, 995
deoxyribonuclease assay, staphylococci, 1512
S. *aureus* growth, 1514, 1516
enterotoxins, 429, 1516, 1517
pH, 1516
starters, 1515
BOOK REVIEWS
dairy cattle science, J. H. Britt, 620
farm animal health, Joseph Simon, 150
handbook of food additives, J. E. Kinsella, 972
in touch with students: a philosophy for teachers, 1477
principles of enzymology for the food sciences, J. E. Kinsella, 1110
quality control in the food industry, J. E. Kinsella, B. K. Dwivedi, 1477
BRICK CHEESE
coagulants assay, 994
deoxyribonuclease assay, staphylococci, 1512
enterotoxin A, 429
S. *aureus* growth, 430
BROWN SWISS BREED
herdmates vs. contemporaries, progeny, 1545
health vs. Holstein, Jersey, Red Sindhi, 309[S]
hormone induced lactation, 739
lactation, fat, protein, 674*
lipoprotein, mammary tissue, 1520
milk composition, 271
perchlorate ingestion, milk iodine, 753
sire evaluation, adjusted records, 602
BUFFALO
casein fractionation, 61
composition, 63
chromatographic analysis, 63
gel electrophoresis, 62

CALVES
aflatoxin, nitrogen balance, 1154
all-in-one ration, self-fed, 648*
Bacillus acidophilus-fed, 682*
bacterial sludge, whey powder, replacers, 1445
cadmium, zinc-65 metabolism, 647*
colostrum feeding, 683*
cottonseed meal, iodine secretion, 312[S]
dexamethasone, parturition, 640*
digestion, metabolism, neonatal, 314[S]
diseased replacements, 315[S]
egg feeding, 1382[NE]
garbage feeding, 311[S]
hay, starter, self-fed, 817
hormones, breeding, 674*
hypervitaminosis A supraspinatus muscle, 252
potassium, sodium, 253
hypovitaminosis, brain, dura mater, 395
tentorium cerebelli: ash dry matter, lipid, potassium, sodium, 396, 397
hypovitaminosis E, 246
supplemented, 248
blood cell hemolysis, 248
potassium, 249
plasma tocopherol, 248

serum protein, 249
heart composition, 250
transaminase activity, 249
immunoglobulins absorbed, 312[S]
management, 659*
ingesta distribution, 311[S]
manganese-54 excretion, vital organs, 312[S]
metabolism, 646*
milk replacer formulation, 314[S]
protein 314[S]
temperature, 683
milling products, crude fiber, 682*
oxytetracycline, blood, tissues, 659*
paraffin, digestibility marker, 1107
fecal marker vs. contents, 1108
milk replacers, 1108
rations, 1108
digestibilities, 1108
plasma-free amino acids, 682*
prolactin, thyrotropin release, 652*
protein requirements, milk-fed, 927
composition of starters, 928
feeding efficiency, 928, 930
growth, 929
plasma protein, 929
amino acids, 930
protein fed, 930
rapeseed, sunflower, soybean meal, 783
birthweight, efficiency, weaning, 786
digestibility, intake, weight, 786
evaluation, 683*
nitrogen utilization, 786
response to methionine analog, 313[S]
serum glucose, insulin, 312[S]
sorghum, soybeans, processed, 932
composition of starters, 932
daily gains, 933
intakes, 933
digestible energy, 933
protein, 933
soy flour, acid-treated, 682*
starter-urea utilization, 683*
triglyceride synthesis pathways, 1305
diets: milk, grain, hay, jejunal tissue, microsomes, 1307, 1309
alpha-glycerophosphate, 1309
monoglycerides, 1307, 1308
thyroid secretion rates, 1159
radioactive pool-turnover, 1157, 1160
age, weight metabolism, 1160
statistical analysis, 1161
weaning age, 683*
whey feeding, 1382[NE]
zinc absorption, tissue distribution, 647*

CAMEMBERT CHEESE
assay for coagulants, 994
for staphylococci, 1512
enterotoxin A, *S. aureus*, 429

CASEINS
automated estimation, 630*
alpha-, sheep, 171, 630*
amino acids, 173
fractionations, 172
molecular weights, 175
starch-gel electrophoresis, 174
alpha$_{s1}$-, Ca sensitivity, mol wt, 1559
elution volume, 1561
electropherograms, 1561
sedimentation, 1562
solubility, calcium chloride, 1560
stability, 1560
alpha-, kappa-, association, 630*
beta-, analysis, 630*
beta-lactoglobulin-kappa-interaction, 630*
beta- degradation, 32
Micrococcus species, 33
amino acids, liberated, 41
amines liberated, 43
peptides, 40
proteolysis, 34
soluble N, 35
kappa-histidine changes, 680
amino acids, 693
electropherograms, 691, 695
stability, kappa- for alpha-, 693
lambda properties, 1486
apparatus, 1487
amino acids, 1490
chromatograms, 1489
electropherograms, 1488
elution patterns, 1488
TS-A-2, TS-B, R-, S-casein, 558
amino acids, 563, 564, 565
structural comparisons, 566
disc-gel electropherograms, 561, 562, 567
elution patterns, 559, 569
molecular weights, 563
buffalo milk casein, 61
composition, 63
chromatographic analysis, 63
electropherograms, 62
dye estimation, 629*
micelle formation, 1195
alpha$_s$ A B solubility, 1197
beta- profile, 1197
casein components, 1196
pellet solvation, 1197
Ca interactions, 1197
models: Garnier et al., Morr, Rose, Waugh, 1200, 1201
micelle molecular weight, 66, 415
diffusion, 66
light scattering, 67, 416
sedimentation, 416
ultracentrifugation, 416
viscosity, 67, 699, 701
polymorphisms, alpha-, beta-, kappa-, 672*, 673*
primary sequences, alpha-, beta-, gamma-, kappa-, 627, 628
ultracentrifugal opalescent layer, 544, 1258, 1389
variability, 45

CHEDDAR CHEESE
Bacillus subtilis protease, 317, 323
acidification, 324
calcium chloride, 318
clotting time, 318
composition, milk, whey, 319, 325
grades, 326
pH, 324
protein recovery, 319, 326
proteolysis, 320
whey nitrogen, 320
yields, 321, 325
coagulant assay, mixtures, 994
chymosin (rennet) activity, 419
bovine pepsin II, 420
chymosin + pepsin II, 421
crystalline chymosin, 420
rennets I, II, 420
clotting enzyme distribution, 622*
cured, reduced fat, 631*
deoxyribonuclease assay, staphylococci, 1512
S. aureus growth, 1514, 1515, 1516
enterotoxins, 1516
pH, 1516
starters, 1515
flavor-producing enzymes,

623*
globule membrane, flavor, 719
free fatty acids, 720
milk composition, 719
phospholipids, 719, 720
ripening, 719, 720
histamine, tryptamine, tyramine, 636*
lactose recovery, 636*
L. casei, proteolysis, 710
alpha-casein, 713
amino acids, 714
stimulating fractions, 711
N-acetylhexosamine, 713
micelle structure, stability, 628*
polyunsaturated fatty acids, 1271
defects, body, 1272
flavor, 1272
linoleic acid, 1272
proteolysis, ripening, 712
shelf-life, *P. fluorescens*, 849
proteolysis, 853
slurries, enterotoxin, A, 1004
S. aureus growth, 1005
heat, 1007
hydrogen peroxide, 1006
pH, 1008
sodium sorbate, 1008
time, 1006
whey composition, 303[s]
foam stability, 1505
whippability, 1505
lipids, 635*
vehicle for viruses, 1329
processing, manufacturing, 1330
CHEMICAL SOLUTIONS
recycling detergents, 643*
CHROMIC ACID
beet pulp carrier, 592
digestibility coefficients, 593
fecal excretion patterns, 593
CLEANING-IN-PLACE
instrumental monitoring, 633*
lipid removal, 632*
COLBY CHEESE
deoxyribonuclease assay, 1512
S. aureus growth, 1514
enterotoxins, 1516
pH, starters, 1515
enterotoxin A, 429
COTTAGE CHEESE
acidified skim milk, 626
B vitamins, cultured, 626*
coagulant assay, mixtures, 994
enterotoxin A, *S. aureus*, 429
iron-fortified skim milk, 1267
flavor, 1269
recovered iron, curd, water, 1269
starter activity, 1268
lysine, spray-dried whey, 1499
shelf-life, carbon dioxide, N, 12
appearance, 14
body, texture, 15
flavor, 15
mold growth, 13
pressure, 15
yeast, 13
shelf-life reduction, *P. fluorescens*, 849
flavor, 841, 852
proteolysis, 853
storage, 851
whey irradiation, chromatograms, 407
casein, 407
alpha-lactalbumin, 407
beta-lactoglobulin, 407
nonprotein N, 407
CREAM
coliforms, heat injury, 305[s]
cultured, shelf-life, 13
carbon dioxide, N, 13
packages hermetically sealed, 9
structure, 8
protease destruction, high-temp, 625*
CULTURED MILK
cheese culture growth, 423
activity, dialysate, 425
cell-free, 425
retentate, 425
lactic culture system, 637*
processing, coagulation, 304[s]

DAIRY CATTLE
abomasal iodine excretion, 671*
acetate, feed intake, 311[s]
acetic acid-treated sorghum, 124
body weights, 126
composition, 125
digestibility, 126
efficiency, 126
activated feeding device, 1352
adipose tissue, enzymes, 340, 343
lipogenesis, glucose, 345
metabolism, 343
nutrient utilization, 347
production, 342
sites, 348
adipose tissue cells, 350
acetate conversion, 357-360
glucose conversion, 353, 354
utilization, 353
insulin, 354, 355
metabolites, 362
pyridine nucleotide pathway, 363
adipose cell lipolysis, 366
beta-hydroxybutyrate, 370
dehydrogenase activity, 371
epinephrine, 370
fatty acids, 367
insulin, depressant, 370
lactation, 371
triglyceride hydrolysis, 372
automatic feeding, 679*
Bahia-bermudagrass pastures, 309[s]
chromic acid carrier, 592
colostrum properties, 255
concentrate feeding systems, 119
production, 121
concentrate formulas, 114
concentrate + silage, 644*
contaminated feed, milk quality, 315[s]
corn grain, blighted, silage, 308[s]
corn, sorghum silage, 313[s]
crossbred, purebred bulls, 313[s]
energy intake, prepartum, 385
Ca,P ratios, 387
parturient paresis, 388
production, 388
ration composition, 386
environment, internal, external, 581
hydrations, 582, 583
metabolism, 583
rectal temp, 583, 584
water loss, 583, 584
normal, abnormal, 585
feeding guides, 113
feed composition, 114
standards, NRC, Macdonald Agro guide, DHAS, 113
feeding systems, 465
daily equal TDN, 467
most TDN 1-180 days, 467
consumption, production, 467, 468, 470, 471
formaldehyde, formic acid silage, 220
digestible, 231
dry matter recovery, 230
intake, growth, 231
pH, 231
forage systems, 119
production, 120

garbage feed, 311[8]
growth hormone, feed conversion, 578
production, 578, 579
heat exposure, 189
catecholamines, 191
epinephrine, 191
glucocorticoids, 191
hormone induced lactation, 738
ingesta distribution, 311[8]
iodine, vital organs, 310[8]
lactation restored, thyroxine, 93
milk, fat yields, 94
protein-bound iodine, 93
thyroid deficiency, 92
milk, fat protein variations, 409
milk production, environment, 311[8]
milk composition, 270
five breeds, 271
mercury, cadmium, metabolism, 309[8]
organic acid-treated sorghum, 308[8]
postpartum estrus, reproduction, 508
propionic acid-treated corn, 207
animal health, 210
body weights, 209
concentrates, composition, 208
intakes, 210
milk production, 209
prostaglandin-treated corpora lutea, 306[8]
protein, energy, 587
concentrates, hay, silage, 586
energy, 589
digestibility, 588
nitrogen distribution, 589
protein liquid supplements, 308[8]
protein requirement, high concentrates, 390
feed amounts, composition, 391
milk composition, 393
prepartum energy, protein, 392
production, 305-day, 393
statistical analysis, 394
radioactive ethylenediaminedihydriodide, 378
blood I-125, 379
I-131, 379
digestive tract, I-131, 382
vital organs, tissues, I-125, 381
reproductive efficiency, 309[8]
response to rumen bacteria, 643*
roughage restriction, insulin, 375
blood acetate, propionate, 376
milk composition, production, 375
rumen fatty acids, 376
serum insulin, metabolites, 377
ryegrass, liquid feed, 314[8]
selection for excellence, 675*
silage-concentrate vs. all-in-one, 314[8]
silage, formic acid-treated, 129
composition, 131
organic acids, 133
digestibility, 133, 134
growth, heifers, 134
solids-not-fat standards, 279
Canada, 280
Midwest, 280
New York, protein, 281
minimum-maximum, 284
testing program, 279
sorghum grain dry vs. high-moisture, 306[8]
sorghum grain micronized, 306[8]
sugarcane + bentonite, 307[8]
hay, 307[8]
sulfur, silages, concentrates, 218, 224
concentrate composition, 219
corn, 221
digestibility, 225
interaction, 226
milk production, 220
nitrogen distribution, 221
silage, 219
soy, 219
sulfur balance, 227
urea, 219
teat canal anatomy, 411
dip comparisons, 148
thermal stress, 85
erthyrocytes, 88
lactation infection, 86
leukocytes, 89
seasonal mastitis, 85
Wisconsin test scores, 89
thyroxine secretion, 195
iodine diet, 197
protein-bound iodine, 198
rates, 198
thyroxine disappearance, 199
whey feeding, 681*
zone cooling
DAIRY FARMS
adequacy, milking systems, 1459
automated feeding systems, 1352
barnyard milkhouse waste, 655*
investments, 488
chores per system, 489
feeding systems, 491, 492
grain storage, 492
labor, 489, 492
manure, 493
management, 489
milking, 491
production, average, high, 654
production costs, 655*
roof insulation, freestall, 308[8]
stream pollution, 310[8]
waste appraisal, 1375
waste, disposal on land, 1367
chemicals in feedlot runoff, 1368
ammonium, 1370
corn yields, 1370
forage nitrate, 1309
feedlot manure, 1371
soil analysis, 1372
waste management, 495
free-stall barns, 497
stall barns, 497
ventilation, 498
waste management systems, 154
costs, 1353
herd size, areas, 1356
housing, 1357, 1359
labor requirements, 1360, 1361, 1364
state pollution controls, 1355
water quality protection, 1379[8]
DAIRY HERDS
analysis, 18,000 herds, fat, lactose, protein, 641*
automatic feeding, 679*
computerized management, 654*
health, 654*
records, 654*
cow removals, reasons, 813
expansion planning, 830
genetic management, 675*
mastitis measurements, 666*
production, income over feed cost, 789
Holstein, Guernsey, Jersey, 791, 792
breed distributions, 790

costs, product values, 790
income over feed costs, 794
milk yield, regressions, 793
region, season differences, 943
DAIRY HERD IMPROVEMENT ASSOCIATION
automated feeding, 1352
computer-assisted breeding
instruction, 1207
genetics, populations, 1208
quantitative, 1210
culling, age, profitability, 1459
age, herd life, 1465
cow losses, 1462
genetic, phenotypic changes, 1465
income, expenses, 1464
selections, calves, 1469
1st calf heifers, 1469
testing goats, 655*
whey feeding, 681*
DAIRY INDUSTRY
trends, needs, 614
analysis, costs, returns, 617, 618
farms, 616
cow numbers, 616
production per cow, 616
feed inputs, 617
milk prices, 616
research support, 615
specific needs, 619
DAIRY PLANTS
lipids in waste, 636*
pilot reactor, low lactose, 627*
small plants, decision making, 625*
waste water survey, oxygen demands, 625*
DAIRY RECORDS
age adjustment, production, 941, 948
by states, 958
calving distribution, 954
herd levels, 917
other than age, 959
recent data, 953
lactation extension, 305-day, 1070
1st lactation, 1076
2nd lactation, 1074
3rd lactation, 1069
lactation-age-season, 1074
sires combining ability, 1085
DAIRY RESEARCH
perspective for, 1185
DETERGENTS
electrical conductance, 1405
amounts, composition, 1407
conductance, milk, 1407
DRUGS
animal guidelines, FDA, 316[8]
DRY WHOLE MILK POWDER: FOAM
cadmium analysis, polagraphy, 1479
anodic stripping, 1482
ashing temp, 1481
recoveries, 1483
standard curve, 1482
fat extraction, 144
time, recovery, 145
flavor, physical properties, 161
air, nitrogen foams, 162

ENTEROTOXINS
A,B,C,D, lactic culture inhibition, 706, 708
cheese, 429, 1514, 1516, 1517
Cheddar slurries, 1004
deoxyribonuclease assay, 1512
Blue, Brick, Colby, Cheddar, Swiss, 1514-1517
ENVIRONMENT
animal nutrition experiments, 1181
cow behavior, feeding, 668*
free stalls, 668*
space, 667*
cow, group interchange, 667*
heat, water restriction, metabolism, 581, 583
heat, water restriction, vasopressin,
Highland, Zebu breeds, 642*
progesterone, 642*
interactions, production, 662*
milking routines, 668*
stress, zinc, corticoids, 748
hypothermal, 751
ketosis, mastitis, 750
status, social, 667*
ENZYMES
Bacillus subtilis, lactase, Cheddar cheese, 317, 323
beta-galactosidase, preparation, 1119
activity, Mn, Mg ions, 1116
phosphate buffer, 1114
pH, 1114
stability, 1117
temperature, 1116
time, 1116
beta-galactosidase, kinetics
Arrhenius plots, lactose hydrolysis, 1120
Lineweaver-Burk plots, 1120
pH profile, 1119
stability, 1121
beta-galactosidase, lactose reduction, *E. coli*, yeast, 1123
activity, temperature, 1124
Lineweaver-Burk plot, 1125, 1126
pH optimum, 1125
substrates, milk, lactose, 1125
beta-galactosidase, *A. niger*, lactose hydrolysis, 1182, 1397
analysis of syrup, 1183
flavor, 1183
kinetics, 1397
rate, 1396, 1397
cellulase activity, rumen inocula, 643*
chymosin (rennin) purification, 623
chymosin (rennin) activity unit, 419
bovine pepsin II, 420
chymosin-pepsin II, 420
chymosin, crystals, 420
rennets I, II, 420
coagulating enzyme analysis, 623*
deoxyribonuclease assay, staphylococci, 1514, 1515, 1516
S.aureus, growth, 1514-1516
enterotoxins, 1517
pH, 1518
starters, 1515
decarboxylase activity, 303[8]
flavor-production, 623*
lactase production, 28
bacteria, molds, yeasts, 29
lactase reactors, 627*
lipoprotein lipase activity, 1415
milk, tissue, 1417
liver arginase, transcarbamylase, 651*
protease, product shelf-life, 625*, 849
Pseudomonas species, stable protease, 624*
review, milk enzymes, 531
Saccharomyces lactis lactase, 146
hydrolysis:raw, pasteurized milk, 147
lactase-treated products, 627*
sulfhydryl oxidase purified, 625*
trypsin binding, tygon tubing, 624*
EVAPORATED MILK
hermetically sealed pack-

ages, 9
EXPERIMENTAL DESIGNS
multiple means comparisons, 644*, 973
design contrasts, post-data, 976
EXTENSION EDUCATION
computer-assisted breeding, 1207
genetic populations, 1208
quantitative, 1210
Plato system, 1207
computerized least-cost ration, 653*
newsletter, new clientele, 654*
ration evaluation, 653*
reproduction management, 653*
profile, herd health, records, 654*
teaching dairy production, 654*

FATTY ACIDS
adipose bovine cells, 366
fed to cows, 643
liver function, 672*
methionine feeding, 666*
norepinephrine, 259
polyunsaturated, cheese, 1271
ration complete, 648*
restricted roughage, insulin, 375
whey, 913
FEEDS
automatic feeding, 1352
chemical preservation, 1347
alfalfa, corn, orchardgrass, 1348, 1349
snow-fenced stacks, 1350
predicted efficiency from weight, 1540
protein solubility, 1052
casein, soy, buffer, 1053
rumen fluid, 1053
pH, 1053
soluble N, 1053
straw, sole roughage, 1424
FOOD INDUSTRY
quality criteria, signal detection, 627*
regulatory problems, 316[8]
FORAGES
alfalfa haylage with corn, 1531
cellulose digestion, 643*
chemical preservation, moisture, 1347
alfalfa, corn, orchardgrass, 13'8, 1349
Coastal bermudagrass, grain, 648*
concentrates, with silages, 307[8]
digestibilities, production, 308[8]
corn, high-moisture, value, 678*
energy, protein utilization, 587
heat damage, 137
orchardgrass exposure, 139
pH, 140
soluble nitrogen, 142
time, 140
temperature, 141
water content, 141
herbicide fate, 315[8]
manure-nitrogen fertilization, 689*
mold inhibitor, 676*
molybdenum, 181*
orchardgrass digestibility, 676*
orchardgrass, fescue vs. blood flow, 670*
amino acids, 664*
organic acid-treated dry sorghum, 308[8]
systems three + two concentrates, 119
Trichoderma viride, cellulytic enzyme and evaluation, 680*

GENETICS
age corrections, trait types, 1178
classification, 1178
ancestry, breeding, Holstein cows, 659*
computer-assisted breeding, 1207
genetic populations, 1208
quantitative, 1210
crossbreds, purebreds, 313[8]
female culling, age, 1459
cow losses, 1452
genetic, phenotypic, changes, 1465
herd life, 1465
income, expenses, 1464
selections, calves, 1469
1st calf heifers, 1469
hormones, breeding, 674*
gene frequencies, polymorphisms, 672*, 673*
genotype-climate interaction, 662*
ration, feed efficiency, 663*
genetic, phenotypic traits, 1191
classification data, 1171, 1172
descriptive, scorecard traits, 1173, 1174
correlations, 1174
distributions, 1173
heritabilities, 1174
management progress, 675
mating systems three, 660*, 660*
milk composition, five breeds, 270
correlations, 273
heritabilities, 272
trait selections, 274
lactation characteristics, 1st, 812
calving age, 814
herd removal reasons, 813
records adjustments, 814
pedigree selection accuracy, 675*
production, age adjusted, 941, 948
calving distribution, 954
milk production, 955
season, 957
herd levels, 917
other than mature age, 959
advantages, 960
recent data, 953
state distribution, 958
production vs. genetic merit, 670*
production persistency, 674*
heritability, 674*
progeny testing economics, 675*
progeny tests, dam, sire, 675*
type selection, herd life, 805
first lactation regressions, 809
selections, 806
type-yield comparison, 810
traits, 807
type traits heritability, 676*
selection for beef, milk, 1080
breeding, 1082
progress, 1083
sire selection, adjusted records, 602
sire-son type relationships, 1164
classification data, 1164, 1165
sire-son pairs, means SD, 1165
AI, non-AI, 1167
correlations, 1166
progeny tests, 1169
regressions, 1166
sire summary correlations, 661*

son progeny tests, 675*
GHEE
chemistry, 20
processing, 21
technology, 22
GOAT
delta-lactones vs. lipids, 1337
radioactivity, fatty acids, 1338
neutral lipids, 1338
group testing, 655*
kids, rumenectomized, 473
diet composition, 475
digestibility, 477
digestive tract anatomy, 479-483
growth, 476
operation diagram, 474
survival digesta weights, 479
mercury-203 in milk, 671*
palmitic acid metabolism, 1569
1-C-14-palmitate infusions, 1570
nicotinic acid response, 1570
fatty acids, 1571
ketones, 1571
lipid activity, 1572
milk production, 1573
phospholipids, cholesterol, 1473
milking frequency, lipids, 1476
pressure, mammary blood flow, 1319
intramammary pressure, 1320, 1321
relationships, 1322
tracheal fistula technique, 821
udder volume, cerium-141, 935
milk volume errors, 936, 937
estimates, 937
zinc deficiency, 98
feed intake, 100
heir quality, 102
nutrient digestibility, 101
physiological symptoms, 101
testicle size, 103
GRAIN PROCESSING
barley, sorghum, enzyme, 595
digested steamed sorghum, 598
starch, 598
barley, 597
sorghum, soybeans, processed, 932
GUERNSEY BREED
herdmates vs. contemporaries, 1545
lactation stage, fat, protein, 674*
luteinizing hormone, heat, 1420
mammary tissue, lipogenesis, 1520
milk composition, 271
production, income over feed cost, 789
progesterone, high temperatures, 642*
protein composition, leukocytes, 1018
sire evaluation, records adjusted, 602
sulfur utilization, 1429
GUINEA PIG
adipose tissue, enzyme activity, 343

HAY
alfalfa, kochia for sheep, 923
composition, 924
digestibility, intake, 924
nitrogen balance, 924, 925
corn, three forms + alfalfa, 1531
formaldehyde-, propionate-treated, 677*
HEALTH
calf replacements, 315[S]
Holstein vs. Brown Swiss, Jersey, Sindhi crosses, 309[S]
parturient paresis treatment with 25-OHD, 885, 889, intramuscular, 889, 891
pulmonary emphysema induced, 671*
stall systems, 668*
HEIFERS
all-in-one ration, self-fed, 648*
body weight measurement, 1380[NE]
growth, 186, 187
nucleic acid, 185
pregnancy, 187
prolactin, 186
udder measurements, 187
hay, concentrates, self-fed, 649*
lactation, hormone activity, 569
luteinizing hormone, 1420
nucleic acid, 185
pedigree selection accuracy, 675*
progesterone, high temperatures, 642*
prolactin in serum, 186
ryegrass, liquid feed, 314[S]
silage-concentrate vs. all-in-one rations, 314[S]
silages, corn or sorghum, 313[S]
silage, formaldehyde-treated, 220
digestibility, 231
dry matter recovery, 230
intake, growth, 231
pH, 231
silage + added nitrogen, 1385[NE]
soybeans, processed, unprocessed, 824
analysis, 825
body weights, 826
digestibility, 826
HEREFORD BREED
tryptophan-induced emphysema, 671*
HIGH TEMPERATURE HEATING
n-acetylglucosamine activity, 631*
steam injection, components, 628*
HIGHLAND BREED
heat, water restriction, vasopressin, 642*
HOLSTEIN-FRIESIAN BREED
acetate tolerance, steers, 645*
adrenal function, 644*
age correction, type traits, 1178
all-in-one ration, self-fed, 648*
anatomy, teat canal, 411
ancestry, breeding, 659*
aspen sawdust roughage, 1291
barley, high moisture, 677*
beef, milk selection, 1080
breeding, 1082
progress, 1083
blood postpartum progesterone, 641*
bovine plasma oxytocin, 446
cadmium, Zn-65 metabolites, 647*
caloric dimensions, predictors, 642*
calves, protein requirements, 927
corn, acid-treated, 678*
corn, beet pulp, energy, 1385[NE]
corn silage, concentrates, complete, 648*
cow response to sulfur, 1383[NE]
rumen bacteria, 643*
dexamethasone parturition induced, 640*, 640*

ergocryptine-treated cows, yield, 653*
estradiol, estrone, pregnancy, 672*
estrogen-influenced traits, 640*
estrus, pregnancy, 640*
feeds, net energy, 1384[NE]
forage protein, energy, 587
gene frequencies, polymorphisms, 673*
genetic management, 675*
genetic merit vs. production, 670*
genetic, phenotypic traits, 1171
classification data, 1171, 1172
descriptive traits, distribution, 1173
desirable, 1174
scores, 1174
scorecard traits, distribution, 1173
heritabilities, 1173
means, SD, 1165
growth hormone, feed conversion, 578
production, 577, 579
health vs. Brown Swiss, Jersey, Red Sindhi, 309[S]
heat, water restriction, metabolism, 581
heifers, self-fed ground hay, concentrates, 649*
herdmates vs. contemporaries, progeny, 1545
hormones, breeding, 674*
hormone-induced lactation, 657*
hypervitaminosis, calves, 252
lactation stage, fat protein, 674*
lactation sulfur requirements, 1276
lipoproteins, serum, 337
lipoprotein lipase activity, 1415
milk, tissue, 1417
lipogenesis, mammary gland, 1520
luteinizing hormone, estrus, ovulation, 641*
mastitis measurements, 666*
milk composition, environment, 271
milk, fat, protein variations, 409
pedigree selection, 675*
perchlorite ingestion, 753
plasma oxytocin activity, 446
production, income, feed cost, 789
production persistency, 674*
progeny test, dam, sire, 679*
protein, production, 664*
protein composition, 1018, 1021
ration, ensiled, 648*
sire combining ability, 1085
sire evaluation, 602
sire-son type relationships, 1164
pairs, means, SD, 1165
AI, non-AI, 1167
correlations, 1166
progeny tests, 1169
regressions, 1166
son's progeny test, 675[S]
sorghum, soybeans processed, 932
calf starter composition, 932
gains, 933
intakes, 933
digestible energy, 933
protein, 933
thyroprotein feeding, 1047
traits type heritability, 676*
Zn-65, tissue distribution, 647*
Zn-65 metabolism, milk, 1526
HORMONES
adrenal function, 641*
beta-estradiol-progesterone, 657*
blood composition, glucose, 896, 903
dexamethasone, 895, 903
calf response to, 313[S]
cortisol plasma binding, 309[S]
corticotropin injections, 749, 759
estradiol, estrone, pregnancy, 672*
estradiol-induced vaginal conductance, 1058
estrogen influenced traits, 640*
estrogen, melengestrol, feed, 647
estrogen induced lactation, 738*
changes, 656*
ergocryptine-treated cows, milk, 653*
glucocorticoid, luteinizing hormone, 451
estrous cycles, 454, 455
periparturient, 454
postinsemination, 455, 456
growth hormone, feed conversion, 578
production, 578, 579
hormone-induced lactation, 657*
insulin treatment, 371
insulin, parturient cows, 459
cations, 460, 463
glucose, 460, 462
hypocalcemia, 461
postpartum, 460
prepartum, 460
luteinizing, parturition, 641*
leukocyte response, adrenal, 658*, 1383[NE]
mammary changes, hormone control, 436
alveolar structure, 439
cellular morphology, 439
DNA, RNA, protein changes, 437, 438
phosphates, 442
mammary gland infections, 733
melengestrol acetate withdrawal, 261
luteinizing, prolactin, 261
milk synthesis, 569
nonthyroid tissue iodine, 1344
oxytocin activity, 466
estrous, 449
lactation, 448
reproduction, 448, 449
oxytocin–induced milk flow, 657*
parathyroid extract, hypocalcemia, 1042
parturient paresis, 1045
prepartal, postpartal response, 1043, 1044
progesterone, estrogen, plasma, 309[S]
progesterone, temperature, 642*
prolactin release, thyrotropin, 652*
serum glucose, insulin, 312[S]
tolbutamide, hypocalcemis, 1381[NE]
teat canal anatomy, 411
thyroprotein feeding, 1047
thyroid secretion rates, 1159
radioactive pool turnover, 1159, 1160
age, weight, metabolites, 1160
statistics, 1161
thyrotropin release, 484
fat, milk, protein, 485
thyrotropin-treated rats, 652*
thyroxine, lactation restored, 92
thyroxine secretion, 195
iodine diets, 197
protein-bound iodine, 198
rates, 198
HYDROCOLLOIDS
carboxycellulose sorption, 685
dried milk-orange, 687
water, 685
whey-soy, 687

ICE CREAM
coliforms heat injury, 305[S]
dairy products lactase, 627*
judging, signal detection, 627*
mix protease, 849
strawberry flavor preference, 626*
IMMUNOGLOBULINS
absorption by newborn calves, 312[S]
colostrum, physicochemical properties, 255
characteristics, 255
gel-electropherograms, 256
IgM sedimentation, 256
ultraviolet absorption, 255
lambs day-old, 670*
management influences, 659*
prepartum milking, 871
streptococci lytic activity, 637*
INSECTICIDES
Dasanit-treated silage, feeding, 775
ISRAELI-FRIESIAN BREED
paraffin, digestible marker, 1101
protein composition, prepartum, 869
protein patterns, lactation, 725
chromatograms, DEAE, 725, 727
electropherograms, 726
straw, sole roughage, 1424

JERSEY BREED
all-in-one ration, self-fed, 648*
Dasanit-treated silage, 775
estradiol, estrone, pregnancy, 672*
herdmates vs. contemporaries, 1545
Holstein health vs. Jersey, 309[S]
hormone-induced lactation, 738
insulin, plasma cations, 459
lactation, fat, protein, 674*
lactation sulfur requirements, 1276
mercury, cadmium, metabolism, 309[S]
milk composition, 271
parturient paresis control, 672*
perchlorate ingestion, milk, 753
polyunsaturated protected fat, 650*
production income, feed cost, 789
sire evaluation, records adjusted, 602
sulfur utilization, 1429
thyroid secretion, 1159
age, weight, metabolism, 1160
pool turn-over, 1159

KETOSIS
prone, insulin, metabolism, 672*

LACTALBUMIN
highly purified, 1095
LACTATION
abomasal amino acid infusion, 664*
adipose tissue lipogenesis, 345
adrenal function, 641*
age adjustment, lactations, 661*
alfalfa hay cubes, 645*
ammonium acetate, molasses, 1102
feed intakes, 1102, 1104, 1105
milk, 1104
ammonium propionate, lactate, N, 663*
aspen sawdust roughage, 1291
amounts fed, 1292
concentrates, 1292
milk fat, 1294
limitations, 1296, 1297
rumen fatty acids, 1295
barley, high moisture, 677*
beta-estradiol + progesterone, 657*
corn, acid-treated, moisture, 678*
corn silage, ammonia-treated, 1283
acetic, lactic acids, 1284
concentrates, 1285
dry matter intakes, 1288
milk production, 1286
nitrogen, 1284
nonprotein N, 1286
corn, form, energy, 1298
diet digestible, 1301
energy digestible, 1301
metabolizable, 1301
net, 1301
milk production, 1302
precautions, 1303
corn silage, grain, concentrates, 645*
corn silage, high-sugar, 1439
digestibility, 1442
field yields, 1441
milk production, 1443
ration composition, 1441
corn, three forms, 1531
acid-treated + hay, haylage, 1533
dry + hay, haylage, 1533
ensiled + hay, haylage, 1533
dry matter intake, efficiency, 1534
milk composition, production, 1535
rumen fatty acids, 1536
corn silage, with, without hay, 915
diet components, 917
feed intake, 918, 919, 921
forage treatment, 918
health, 920
production, 921
cow evaluation, herds, 661*
cow response, rumen bacteria, 643*
Dasanit-treated silage, cows, 775
plus metabolites, feces, milk, urine, 781
time-spaced feed, 777
vital organs, 781
energy, complete feed, production, 1144
efficiency, intake, source, 1145
measurements, 1149
animals, environment, 1150
diets, 1150
digestibility, 1151
metabolism, 1151
NRC comparisons, 1152
energy intake, diet densities, 1383[NE]
enzyme, hormone changes, 569
estrous, nitrogen metabolism, 544
amino acids, plasma, 745
nitrogen, 746
plasma metabolites, 745
estrogen + progesterone, 656*, 738
failure, persistency, 740
production, 841
response, 741
reproductive traits, 656*
fatty acids, norepinephrine, 259
feeding guides, 113
composition, concentrates, 114
standards: NRC, Macdonald Agro Guide, DHS Analysis, 116

feeding systems, 465
equal daily TDN, 467
most TDN 1 to 180 days, 467
consumption, production, 467, 468, 470, 471
forage, calcium phosphate, 646*
free-stall systems, production, 668*
garbage for feed, 311[S]
genetic merit vs. production, 670*
hormone-induced production, 657*
insulin, ketosis, 672*
prepartum, 672*
lactation one, indices, 812
calving age, 814
record adjustment, 814
removal from herd, 813
lactation curves, 666*
lactation 1, 2, 3, 660*, 660*
consumption, efficiency, 660*
sire summaries, 662*
lactation restoration, 92
milk, fat yields, 94
protein-bound iodine, 93
thyroxine feeding, 93
lipoprotein, fat transport shifts, 1411
agarose gel densities, 1412, 1413
liver function, fatty acids, 672*
mammary blood composition, 896, 903
mercury-203, milk, 671*
methionine, sulfates, 665*, 666*, 1385[NE]
methionine response, 1385[NE]
milk production, environment, 311[S]
milk production, one milking, 660*
milk production, fat correlations, 660*
milk production, quarters, 666*
milk production persistency, 674*
milk production predicted, weight, 1540
first three lactations, 1541
trait means, 1541
weight correlations vs. predictions, 1542
vs. efficiency, 1544
vs. estimated net energy, 1543
vs. milk yields, 1543
milk production, protein, 664*
milk yield, reduced space, 667*
milking routine performance, 668*
nonthyroid tissue iodine, 1344
parturient paresis treatment, 885, 889
intramuscular, 889, 891, 892
parathyroid extract response, 1042
parturient paresis, 1045
prepartal, postpartal, 1043, 1044
perchlorate ingestion, milk iodine, 753
iodine-125 transfer, 754, 755
phenobarbital metabolism, 1564
feces, milk, urine, 1565
protein composition, milk, 869
alpha-, beta-, gamma-casein, 871
immunoglobulins, 871
lactation yield, 870
prepartum yield, 870
protein, fat, 674*
protein, formaldehyde-treated, 665*
proteins, Israel breed, 724, 726
protein, poultry manure, 668*
protein requirements, concentrates, 390
feed amounts, composition, 391
milk composition, 393
prepartum energy, protein, 392
production, 305-day, 393
records extended, 305-day, 1070
sire evaluation, records adjusted, 602
sodium caseinate, postpartum, 664*
straw sole roughage, 1424
consumption, 1425
digestibility, 1425
fatty acids, plasma, 1421
rumen, 1426
metabolizable energy, 1426
production, 1427
stress, hyperthermal, 750
sugarcane + bentonite, 307[S]
sulfur requirements, supplemented, 1276
sulfur requirements, from sulfates, molasses, lignin S, 1429
sulfur requirements, fate of sulfur-35 from sulfates, 1435
sulfur, response, 1383[NE]
sulfur, silages, concentrates, 218, 224
thyroxine feeding, 1047
milk yield, 5 days, 1048
10 days, 1050
rectal temperature, 1051
thyrotropin release hormone, 484
fat, milk, protein, 485
urea utilization, 763
digestibility, 767
dry matter intake, 766
milk composition, 766
production, 766
nitrogen intake, excretion, 769
whey, restricted roughage, 911
production, 911
Zn-65 metabolism, halflife, secretion, 647*, 1526
intake, balance, excretion, 1527
milk, 1528
LACTOGLOBULINS
beta-, opalescent fraction, 544
beta-, polymorphism, 672*, 673*
beta-, whey, irradiated, 407
components, heating, 629*
kappa-casein interaction, ions, 630*
LACTOSE
analysis, Ontario herds, 641*
crystallized forms, methanol, 843
alpha-hydrate, alpha, beta, 844, 845
properties, 845, 847
ratios, methanol : alpha-hydrate, 445
methanol : water, 847
seeding, 847
crystallization techniques, 637*
hydrolysis, beta-galactosidase, 1123, 1182
syrup analysis, 1183
flavor, 1183
oligosaccharide formation, 1401
carbohydrate, 1401
hydrolysis, 1401
microorganisms utilization, 26
bacteria, molds, yeasts, 28, 29
reactors, low-lactose foods, 627*

synthesis, mammary gland, 611
radioactivity, C-14 glucose, 612
galactose, 613
whey deproteinated, crystallized, 1492
clarified, 1492, 1493
protein, 1494
pH, 1494
protein removal, 1493
thread-like aggregates, 1495
LIPIDS
absorption, triglyceride synthesis, 1305
delta-lactones, fatty acids, 1337
droplets composition, 860
fat feeding, protected, 650*
globule membrane, cheese flavor, 717
milk opalescent layer, 1393
phospholipids, cholesterol, 1473
milking frequency, 1476
skim milk membrane material, 978
triundecanoin, 651*
whey protein foams, 635*
LIPOPROTEINS
electrophoretic analysis, 1411
lipase activity, glucose, insulin, 1415
blood glucose, 1417
tissue, 1417
serum characterization, gestation, lactation, 337, 1025
animals, 1027
composition, 338, 1027-1029
cyclomicrons, 338
densities, 338, 1028, 1029
milk, 1027

MAMMARY GLAND
adrenocorticotrophic hormone, infections, 733
C.bovis, S.aureus, P eudomonas species, and other streptococci, 734
leukocytes, erythrocytes, 734
somatic cells, 735
arginine, ornithine, valine metabolism, 651*
blood composition, dexamethasone, 896, 903
blood metabolites, 898
Ca, Mg, 899
cell volume, 899
fatty acids, 899
plasma glucose, 899, 900
distribution, 904
kinetics, 905
model system, 906
pool, 907
mammary AV differences, 900
blood flow, lactose, sodium, 729, 730
bovine microsomes, 649*
cortisol binding, 652*
cortisol, corticosterone, progesterone, 572
dehydrogenase activity, 570
DNA estimations, 656*
fatty acid synthesis, 1312
enzyme activities, 1314
patterns, 1314
pathways, 1315
fat globule membrane stability, 1092
enzymes, 1093
goat udder volume, cerium-141, 935
volume errors, 936, 937
estimates, 937
growth, 186, 187
growth hormone, 571
hormone control changes, 436
alveolar structure, 439
cellular morphology, 439
DNA, RNA, protein changes, 437, 438
phosphate activity, 442
RNA response, 438, 442
intramammary pressure, blood flow, 1319
lactose synthesis, bovine tissue, 611
radioactivity, C-14 glucose, 612
galactose, 613
lipogenesis in vitro, 1520
fatty acid synthesis, 1521
acetate, 1522
carbon number, 1524
glucose, 1522
insulin, 1523
lipid classes, 1524
lipid intracellular droplets, 858
composition, fat globules, 860
droplets, 860
tissue, 860
electron micrographs, 859
lipid metabolism, 571
neomycin, milk-out time, 658*
nonthyroid tissue iodine, 1344
nucleic acids, 185
nuclei, nuclear envelope, 621*
oxytocin-induced milk flow, 657*
potassium-39, -40, 656*
production by quarters, 666*
serum prolactin, 186, 571
somatic cells, milk letdown, 658*
staphylococci classification, 633*
stimuli and blood flow, 657*
teat canal anatomy, 411
teat cisternal pressure, 657*
teat supernumeraries, 640*
tissue assay, 447
udder weight, dry, wet, 656*
ultrastructures, human gland, 651*
MANAGEMENT
animal waste, direct disposal, 1367
automated feeding device, 1352
concentrates, 679*
cow behavior, space, 667*
cow group exchange, 667*
facility investments, 488
chores per system, 489
feeding arrangements, 481, 492
grain storage, 492
labor, 489, 492
manure handling, 493
milking, 491
feeding behavior, social rank, 668*
feeding systems two, 465
equal daily TDN, 467
most TDN 1 to 180 days, 467
production responses, 467, 468, 470
financial planning expansion, 830
free-stall systems, behavior, 668*
genetic progress, 675
milking, adequacy, 1450
milking routines, 668*
progeny testing economies, 675*
production income over feed cost, 789
Holstein, Guernsey, Jersey, 791, 792
costs, product values, 790
distribution, 790
income over feed costs, 794
milk yield regressions, 793

production economic indexes, 674*
reproduction, profile, 653*
program, 653*
teaching skills, 654*
waste alternatives, 1354, 1375
costs, 1363
herd size, 1356
housing, 157, 1359
labor, 1360, 1361, 1364
pollution controls, 1355
MANURE
disposal, 681*
facility investments, 493
waste systems, 1357, 1359
MARKET PROGRAMS
milk, variable composition, 294
pricing systems, composition, 297
Connecticut, U.S., 298
constituent value, 299
class I, II, 299
MASTITIS
adrenocorticotrophic hormone, infections, 733
C.bovis, S.aureus, Pseudomonas species, other streptococci, 734, 88
leukocytes, erythrocytes, 734
somatic cells, 735
antibiotic therapy, sanitation, 658*
fat globule components, 304[8]
leukocyte response, adrenal, 658*
measurement variability, 666*
somatic cell estimations, 331
costs, 333
coefficients, 331
numbers, 334
scores, 333
somatic cell estimations, filter-DNA, 1097
methods correlations, 1098
technique variations, 1099
somatic cells, milk letdown, 658*
staphylococci classification, 633*
subclinical vs. leukocytes, 1019
teat dip comparisons, 149
S.agalactiae, hemolytic *Staphylococcus,* other streptococci, coliforms, 149
thermal stress, 85, 750
seasonal mastitis, 85
lactation, infection, 86
leukocytes, 89
erythrocytes, 88
Wisconsin test scores, 89, 305[8]
MEAT
Holsteins for beef, milk, 1080
MEMORIALS
Luther A. Black, 501
Carl Fountain Huffman, 414
Leonard A. Maynard, 501
Mogens M. Plum, 1476
Arthur W. Rudnick, 1578
METHIONINE
all-in-one rations + analog, 307[8]
analog + sulfates, 665*
calves response, 313[8]
catabolism, metabolism, bacteria, 757
amino acids, 759
cellulytic activity, 701
glucose utilization, 758, 760
methionine utilization, 759
mathematical analysis, 666*
MICE
mammary blood flow, lactose, 729
changes, 731
sodium, 730
MICROBIOLOGY
ammonia, mild destruction, 241
automatic plating of bacteria, 1011
apparatus, 1012, 1013
standard comparisons, 1015
Aspergillus fumigatus, silage, 828
Aspergillus species, lactase, 28
Bacillus destruction, chlorine, 1253
chlorine amounts, 1255
D criteria, 1256
pH, 1254
temperature, 1254
vegetative cells, 1254
Bacillus subtilis, cheese, 317, 323
Bacillus cereus germination, 303[8]
beta-casein degradation, 33
Micrococcus species, 35
proteolysis, 34
nitrogen, 35
calf feed, bacterial sludge, 1445
Cheddar cheese, viruses, 1329
coliforms, heat injury, 305[8]
coliforms, lactobacilli, pigs, 635*
Geotrichum species, silage, 679*
growth patterns, *E.Coli, S. lactis, P.fragi,* 304[8]
lactic bacteria, oligosaccharides, 1379[NE]
lactic culture system, 637*
L.acidophilus, antimicrobial, 638*
L.bulgaricus, S.thermophilus, differences, 634*
lactobacilli growth, soy milk, 1379[NE]
lactobacilli, human feces, 633*
lactobacillus species, lactase, 29
mold inhibitor, 676*
M.pusillus, M.michei, antimicrobial, 639*
Neurospora species, lactase, 28
phosphate, bacteriophage, 637*
rumen acidosis, metabolites, 671*
rumen bacteria catabolism, metabolism, 757
amino acids, 759
cellulytic activity, 701
glucose utilization, 758, 760
methionine utilization, 759
Saccharomyces lactis lactase, 146
milk, lactose hydrolysis, 147
staphylococcal taxonomy, 633*
S.lactis inhibitors, 638*
S.lactis mutant dehydrogenase, 634*
Streptococcus species, lactase, 29
decarboxylase, 303[8]
streptococci stability, 638*
streptococcal strains proteolysis, 634*
S.thermophilus lactose transport, 634*
yeasts in silage, 679*
MILK
antioxidants, 635*
autoxidation, 621*
detection, 635*
bacteria, retail outlets, 633*
bacteria, growth, temperature, 304[8]
casein micelle formation, 1195
casein micelles, mol wt, 66, 415
centrifugation, 416
light scattering, 416

sedimentation, 416
casein variability, dairy plants, 45, 49
coliforms, heat injury, 305[S]
composition, market, 266, 268
production, 270
composition, restricted roughage, 911
composition, molasses, tallow, 643*
component properties, steam, 628*
consumer acceptance, 286
double standardization, 288, 292
fortified, 287
solids-not-fat minimum, 286
contributions to food supply, 501
electrical conductance, 1405
delta-lactones, fatty acids, 1337
DDT metabolites, milk, 1324
long exposure, 1326
vital organs, 1327
enzyme review, 531
fat globule membrane stability, 1092
fat, protein variations, 409
fluorescent light exposure, 1380[NE]
freezing, thawing rates, 168
gels microstructure, 835
Israeli breed proteins, 724, 725
leukocytes, reduced cow-space, 667*
lipase activity, 1417
lactose hydrolysis, beta-galactosidase, 1123
lipid amounts, composition, 1027-1029
marketing, variable composition, 294
payment incentives, 294
solids losses, 295
sources, 294
standardizing solids, 295
testing, 294
methionine analog, oxidized flavor, 305[S]
mercury-203, 671*
micellar caseins, 558
molybdenum, 681*
nonprotein variability, 45
oxidation detection, 634*
oxytetracycline, 659*
packages hermetically sealed, 9
perchlorate ingestion, iodine, 753
pesticide, methylene test, 1562
pesticides, phosphate test, 553
phenobarbital: feces, milk, urine, 1565
protein composition, leukocytes, 1017
leukocytes vs. proteins, 1018, 1021
subclinical mastitis, 1019
protein in vitro protection, 680*
protein variability, 45, 49
proteolysis, 853
plate count, time, temp, 304[S]
polymorphisms, caseins, lactoglobulins, 672
quality, contaminated feed, 315[S]
quality, signal detection, 627*
solids-not-fat standards, 279
Canada, Midwest, 280
protein, 281
testing programs, 279
somatic cell estimations, 331
costs, 333
coefficients, 331
scores, 333
somatic cell estimations, filter-DNA, 1097
somatic cells, milk letdown, 658*
synthesis symposium, 1195
thyrotropin release hormone, fat, milk, protein, 485
ultracentrifugal opalescent layer, composition, 544
appearance, location, 544
Ca,P ratios, 546, 551
heated, skim milk, 545
pH, 550
sulfur, 546
temperature, 548
casein solvation, 549, 551
translucent composition, 547
ultracentrifugal opalescent layer, micelles, 1258
electron microscopy, 1261
raw, heated skim milk pellets, 1264, 1265
electropherograms, skim milk, 1264, 1265
gel filtration, 1259, 1260
inelastic light scattering, 1260
rate-zone centrifugation, 1259
ultracentrifugal opalescent layer, casein, lipids, 1389
centrifugation, 1391, 1390
micelles, 1390
distribution, 1392
protein content, 1391
electropherograms, 1392
lipids, composition, 1393
whey protein recovery, hexametaphosphate, 988
whey protein water binding, 984
heat of fusion measurements, 985
concentrate composition, 985
unfreezable water, 985
water sorption, 986
MILK ANALYSIS
alpha-, beta-casein, analysis, 630*
fat estimations, three randoms, 90± 90%, 968
homogenized milk tests evaluated, 1389[NE]
Mark II Pro-milk tester, protein, 854
calibration, 855
Kjeldahl comparisons, 855
seasons, 855
Mark II Milko-Tester, 303[S]
modified for casein, 639*
protein, 1380[NE]
niacin, riboflavin, thiamin, automated, 637*
MILK-BASED BEVERAGES
milk-orange juice, 686
soy-whey, 688
MILK CLOTTING
assay for coagulants, mixtures, 994
microbial: *E.parasitica, M.pusillus, M.miehei,* 996
porcine pepsin, 996
rennets: adult bovine, industrial, veal, 996
assay, low concentration, 623*
chymosin (rennin) purification, 623*
curd tension measurements, 622*
enzyme individual determinations, 623*
enzyme sites, curd, whey, 622*
M.mucor, M.miehei, antimicrobic, 639*
MILK FAT
adulteration test, 305[S]
analysis, 18,000 herds, 641*
biosynthesis, 1187
depression, fiber source, 649*
depression, whey, minerals, 910, 911
globule clustering, 621*
globule composition, 860
globule, mastitis, 304[S]
globule membrane, 980, 981
globule membrane, cheese

flavor, 716
globule membrane stability, 1092
glycerides, high melting, 52
fatty acids, fractionation, 52
properties, 56
thermograms, 54, 55
stable phases, 58
variations, 409
MILK GELS
microstructure, electron microscopic and penetrometric techniques, 629, 835, 998
casein micelles, 837
additives, 990
cooling, 1002
firmness, 999
gels heated, egg, 841, 1001
milk, 837, 838, 1001
unheated, gelatin, 841
rennet, 839
soybean, 841
whey, 840
MILKING PARLORS
milking systems adequacy, 1450
cows per man-hour, 1456
group washing, 1456
machine stripping, 1455
milking time, 1456
operator efficiency, 1451
milking systems, herringbone, side-opening types, 1063
chores priorities, 1065
cow movements, openings, 1064
parlor inputs, 1066
simulated output, 1068
response measurements, 1069
MILK SYNTHESIS
casein micelle formation, 1195
alpha$_s$-A B solubility, 1197
beta profile, 1197
solubility, 1197
components, 1196
pellets solvation, 1197
interactions with Ca, 1197
models, Garnier et al, 1201
Morr, Rose, 1201
Waugh, 1200
fat biosynthesis, 1187
arteriovenous lipids, 1191
blood fat transfer, lipases, 1190
mammary uptake, 1191
plasma fat origin, 1191
lipoproteins, 1191
triglyceride formation, 1188
fat globule membrane stability, 1092
gangliosides structure, 649*
glycerides, fatty acids, 650
glycerol phosphate, 649*
oxytocin dosages, milk ejection, 864
oxytocin-induced milk flow, 657*
rat mammary changes, hormones, 436
alveolar structure, 439
cellular morphology, 439
DNA, RNA, proteins, 437, 438
phosphate activity, 442
RNA response, hormones, 438, 441
Zn-55 metabolism, secretion, 1526
MINERALS
calcium, phosphorus absorption, 646*
calcium phosphate intake, forage, 626*, 646*
calcium: phosphorus ratios, 387
energy intake prepartum, 385
calves, hypervitaminosis, 253
dry weight, potassium, sodium, 253
cations, glucose, 461
estrogen, melengestrol, feed, 647*
manganese, 645*
milk Ca:P ratios, 546
ration utilization, 645*
MOZZARELLA CHEESE
enterotoxin A, *S.aureus*, 429
growth during manufacture, 433

NATIONAL RESEARCH COUNCIL
standards compared, estimated net energy, 113
other feeding guides for lactation, 115, 116
NONFAT DRY MILK
casein micelles, 837
cadmium analysis, polagraphy, 1479
chemical properties, flavor, 632*
iron fortification, oxidation, 1142
flavor, 1140, 1141, 1142
hematocrit values, rats, 1143
NUTRITION
abomasal infusion, amino acids, 664*
abomasal iodide metabolism, 671*
acetate tolerance, silage, alfalfa-grass, grain-fed steers, 645*
alfalfa cubes, corn silage, 645*
amino acid, blood absorption, alfalfa, 665*
ammonium acetate, molasses, 1102
feed intake, 1103-1105
production, 1104
ammonium propionate, lactate, N, 663*
ammonium-treated corn silage, 1283
acetic, lactic acids, 1284
concentrates, 1285
dry matter intakes, 1288
milk production, 1288
nitrogen, 1284
nonprotein, 1286
urea, 1284
aspen sawdust roughage, 1291
amounts fed, 1292
concentrates, 1292
milk fat, 1294
limitations, 1296, 1297
rumen fatty acids, 1295
automated concentrate feeding, 679*
barley, high moisture, 677*
bovine oviduct, underfed, 307[8]
cadmium, mercury metabolism, 309[8]
cadmium, Zn-65 metabolism, 647*
calcium added, deficiency, 1385[8]
Ca,P absorption, diets, 645*
calcium phosphate, forage, 626*
calves, bacterial sludge + whey, 1445
calf hypovitaminosis, brain, dura mater 245, 395
brain, tentorium cerebelli, ash, dry matter, lipid, Na, K, 386, 397
calf milk protein replacers, 314[8]
calves milk-fed, protein needs, 927
composition of starters, 928
feeding frequency, 928, 930
growth, 929
plasma protein, 929
amino acids, 930

protein amounts, 930
calf rations, rapeseed, sunflower, soybean meal, 783
birth weight, efficiency, weaning, 785
digestibility, dry matter intake, 786
nitrogen utilization, 786
calves self-fed hay, starter, 817
cellulose digestion, 5 substrates, 643*
concentrates with ensiled forages, 307[8]
concentrates supplemented, silage, 644*
chromic acid carrier, 592
complete rations, dry, acid-preserved, 679*
corn, acid-treated, high moisture, 74, 220, 678*
corn form, energy, 1298
ground, whole, 1300
diet composition, 1299
energy digestible, 1301
metabolizable, 1301
net, 1301
milk production, 1302
precautions, 1303
corn silage, grain, blighted, 308[8]
corn, high moisture, 678*
corn, three forms, 1531
acid-treated + hay, haylage, 1533
dry + hay, haylage, 1533
ensiled + hay, haylage, 1533
dry matter intake, efficiency, 1534
milk production, composition, 1535
rumen fatty acids, 1536
corn silage + concentrates, complete ration, 648*
corn silage grain, concentrates, 645*
corn silage, high sugar, 1439
composition of rations, 1441
digestibilities, 1442
field yields, 1441
milk production, 1443
corn silage with, without hay, 915
diet component, 917
forage treatment means, 918
feed intake, 918, 919, 931
production, 921
corn, sorghum silages, 313[8]
cow response to rumen bacteria, 643*
Dasanit-treated silage, cows, 775
plus metabolites, feces, milk, urine, 781
silage, 777
vital organs, 781
energy, complete feed, 1144
efficiency, intake, sources, 1145
balance measurements, 1149
animals, environment, 1150
diets, 1150
digestibilities, 1151
metabolism, 1151
NRC comparisons, 1152
energy of corn vs. beet pulp, 1384[NE]
energy feeds, 1384[NE]
energy intake, diet densities, 1383[NE]
energy intake prepartum, 385
Ca:P ratios, 387
parturient paresis, production, 388
ration composition, 386
estrogen, melengestrol, feed, minerals, 647
fatty acid response, norepinephrine, 259
fat depression, complete rations, 649*
fat polyunsaturated protected, 650*
feed contaminated, milk quality, 315[8]
feeding guides, 113
feed composition, 114
formulas, 114
standards: NRC, Macdonald Agro Guide, Dairy Herd Service Analysis, 118
feed liquid + ryegrass, heifers, 314[8]
feeding systems, 465
equal daily TDN, 467
most TDN 1 to 180 days prepartum, 467
consumption-production response, 467-471
feeding volatile fatty acids, 643*
forage energy + protein, 587
concentrate, hay, silage, 588
energy distribution, 587
digestibility, 588
nitrogen, 589
intake predictors, caloric dimensions, 642*
lipid metabolism, triundecanoin, 651*
liver function, fatty acids, 672*
manganese-54 metabolism, 646*
mercury, cadmium metabolism, 309[8]
milk composition, tallow, molasses, 642*
paraffin digestibility marker, 1107
fecal marker vs. contents, 1108
digestibilities, 1108
milk replacer, 1108
rations, 1108
perchlorate ingestion, milk, 753
iodine-125 transfer block, 754, 755
protein amounts, production, 664*
protein in vitro protection, 680*
protein, formaldehyde-treated, 665*
protein liquid supplements, 308[8]
protein from poultry manure, 668*
biphenyl, 669*
protein requirements, concentrates, 390
amounts, feed composition, 391
milk composition, 393
prepartum energy, protein, 392
production, 305-day, 393
protein solubility, feeds, 1052
casein, soy, in buffer, 1053
in rumen fluid, 1053
20 energy feeds in buffer, 1055
15 protein feeds in buffer, 1055
ration complete, chopped hay, urea, 649*
ration complete ensiled, 648*
ration utilization, Ca:P ratios, 646*
roughages ensiled, sodium chloride, 233
composition changes, 234
digestibility in vitro, 234
organic acids, 236
pH, 236
rumen fatty acids, sheep, 239
rumenectomized kids, 473
diet composition, 475
digestibility, 477
digestive tract anatomy, 479-483
growth, 476
operation diagram, 474
survival digesta weights, 479

sodium caseinate, post-ruminal, 664*
sorghum, acid-treated, 308[S]
sorghum grain acid-treated, 124
body weights, 126
composition, 125
digestibility, 126
production efficiency, 126
sorghum grain vs. high-moisture, 306[S]
micronized, 306[S]
sorghum grain, soybeans processed, 932
calf starter composition, 932
daily gains, 933
intakes, 933
digestible energy, 933
soy flour, acid-treated, 682*
soybeans, processed, unprocessed, 825
analysis, 825
body weights, digestibility, 826
straw, sole roughage, 1424
digestibility, 1426
fatty acids, plasma, 1426
rumen, 1426
feed consumption, 1425
metabolizable energy, 1426
production, 1427
sugarcane + bentonite, 307[S]
sulfur metabolism, 106
cellulose digestion, 108
digestibility, 106
nutrient intake, 109
ration utilization, 106
sulfur, silages, concentrates, 218, 224
balance, 227
concentrate composition, 219
corn, 221
digestibility, 225
interactions, 226
milk production, 220
moisture, 219
nitrogen distribution, 221
soy, 219
urea, 219
sulfur requirements, balance, 1276
concentrate rations, 1277, 1278
sulfur low, high, 1278
dry matter intake, 1278, 1279
digestibility, 1278, 1279
milk production, 1278, 1279
sulfur rquirements, sulfates, molasses, lignin S, 1429
concentrates, 1430
sulfur added, 1431, 1432
dry matter intake, 1431, 1432
digestibility: apparent, true, 1431, 1432
nitrogen partition, 1431, 1432
sulfur partition, 1431, 1432
sulfur requirements, sulfur-35 fate from sulfates, 1435
dry matter absorbed, 1436
digestibility, 1436
milk, tissue, urine, 1436
nitrogen partition, 1436
sulfur responses, 1383[NE]
thyroprotein feeding, 1047
milk yield fed 5 days, 1048
10 days, 1050
rectal temp, 1051
Urea utilization, 763
digestibility, 767
dry matter intake, 766
milk composition, 766
production, 766
nitrogen intake, excretion, 769
vitamin E status, 647*
whey, alfalfa haylage, 644*
whey, fluid for feeding, 681*
zinc, low, intake, 212
blood, milk, plasma contents, 214
production, 213
Orchardgrass, digestibility, 676*
oviduct and undernutrition, 307[S]
oxidized flavor in milk, 635*
oxytocin activity in cows, 446

PACKAGES
testing hermetic seals, 6
humidity, 8, 10
hygrometer, meter comparisons, 10
leakage at 5 and 24 C, 9
structure, internal, external, 8
PARTURIENT PARESIS
calcium deficiency, 672*
estradiol, estrone, pregnancy, 672*
25-hydroxycholecalciferol treatment, 885, 889
intramuscular injections, 889, 891, 892
recoveries, 886, 893
serum minerals, 886, 891, 892, 893
before and after treatment, 887, 892
hypercalcemic response, parathyroid, 1042
prepartal, postpartal response, 1043, 1044
hypoglycemic response, tolbutamide, 1381[NE]
prevention, 672*
PASTURE
bromegrass, 680*
chicken litter fertilizer, 316[S]
irrigation, bromegrass-orchardgrass, bromegrass-alfalfa, 680*
manure-nitrogen fertilizer, 680*
PESTICIDES
DDT & metabolites, milk, tissue, 1324
long exposure, milk, 1326
vital organs, 1327
phenobarbital: feces, milk, urine, 1565
phosphatase test interference, 553
twelve compounds tested, 554
phenol formation decreased, 554, 555, 556
PHYSIOLOGY
adipose tissue metabolism, 340
enzyme activities, 343
lactation, 344, 345
nutrient utilization, 347
sites, 348
adipose cell lipolysis, 366
beta-hydroxybutyrate stimulation, 370
dehydrogenase activity, 371
fatty acids release, 367
epinephrine stimulation, 370
insulin depressant, 370
lactation, 371
triglyceride hydrolysis, 372
adipose tissue cells, 350
acetate conversion, 357-360
glucose conversion, 352, 354
utilization, 353
insulin, 354, 355
pyridine nucleotide pathway, 363
environment, water restric-

tion, 581
hydration levels, 582, 583
metabolism, 583, 584
rectal temp, 583, 584
water loss, 583, 584
normal-abnormal, 585
calf hypovitaminosis, brain, dura mater, 395
brain, tentorium cerebelli: ash, dry matter, lipid, Na and K, 396, 397
gastrointestinal tract mucosa, 1381[NE]
glucose and insulin, 312[S]
heat exposure, 189
catecholamines, epinephrine, glucocorticoids, norepinephrine, rectal temperature, 191
ingesta distribution in tract, 311[S]
plasma insulin, 459
insulin and cations, 460, 463
glucose and insulin, 460, 462
postpartum, prepartum, 460
plasma oxytocin activity, 446
estrous cycle, 449
lactation stage, 448
reproduction stage, 448, 449
radio ethylenediaminedihydrion, K
metabolism, 378
blood I-125, 379
blood I-131, 379
digestive tract I-131, 382
vital organs and tissue I-125, 381
rumenectomized kids, 473
diet composition, 475
digestibility, 477
digestion tract anatomy, 479-483
growth, 376
operation diagram, 474
tracheal fistula for goats, 821
thyroxine, lactation, 92
triglyceride synthesis pathways, 1305
diet: milk, hay-grain, 1305
jejunal tissue, microsomes, 1307, 1309
alpha-glycerophosphate, 1309
monoglyceride, 1307, 1309
uterine abnormalities, impaired fertility, 878
vital organ content, excretion of Mn, 312[S]
zone cooling, production, thyroid activity, 310[S]

QUALITY
judgments, signal detection theory, 672*
milk quality, contaminated feed, 315[S]
solids-not-fat standards, 279
Canada, Midwest, 280
New York, 281
water quality protection, 1379[NE]
QUESO BLANCO CHEESE
brined, creamed, renneted, 621*

RABBIT
blood flow in testicle, 639*
wild, milk composition, 655*
RAT
adipose tissue, enzyme activities, 343
casein formaldehyde-treated, growth, 665*
lactation, mammary metabolism, 1033
cortisol, synthetic capacity, 1038
insulin, fat synthesis, 1038
milk production, 1037
mammary hyperlipogenesis, 1036
DNA, protein, 1037
oxytocin dosages, milk ejection, 864
suckled and weaned, 864
glucose, lactose, 865
oxygen consumption, 867
thyrotropin-treated, production, 652*
RED SINDHI BREED
health compared to Holsteins, 309[S]
REPRODUCTION
conception variables, 873
analysis, 875
corticoid in plasma, 874
environment, physiology, hormones, 874
fertility, 875
progesterone, 874
uterine temp, 874
cortisol binding transcortin, 309[S]
dexamethasone parturition induced, 640*, 640*
efficiency, controlled environment, 311[S]
estradiol, estrone, pregnancy, 672*
estrogen, melengestrol, feed, 647*
estrous, nitrogen metabolism, 744
amino acids, jugular plasma, 746
nitrogen, 746
plasma metabolites, 745
estrogen-progesterone-induced changes, 656*
estrus during pregnancy, 640*
fertility measurements, 673*
fertility prediction, 639*
glucocorticoid, luteinizing hormone, 451
estrous, 454, 455
periparturient, 454, 455
postinsemination, 455, 456
intrauterine boluses, neomycin, 310[S]
luteinizing hormone, heat, 1420
luteinizing hormone, parturition, 641*
hormone before, after peaking, 1421
second estrus, 1421
environment temp, 1422
management computerized, 653*
herd health, 654*
profile, 654*
records, 654*
melengestrol acetate withdrawal, 261
human chonionic gonadotropin, 261, 262
luteinizing hormone, prolactin, 261
oviduct, undernutrition, 307[S]
parturition initiation, calf development, 640*
plasma oxytocin activity, 446
estrous, 449
lactation stage, 448
reproduction stage, 448, 449
plasma progesterone, estrogen, 309[S]
postpartum blood progesterone, 641*
postpartum estrous, reproduction indicator, 608
heat distribution, 609
nonpregnant, pregnant, 609
services per pregnancy, 609
prostaglandin-treated corpora lutea, 306[S]
rabbits testicular blood flow, 639*
reproductive efficiency, 1381[NE]
semen criteria, ejaculation frequency, 399
ejaculates per bull, 401,

402
sixteen criteria, 400
spermatozoa motility, bacteria, 202
apicillin, 205
neomycin, 203
penicillin, 204
transmitting ability, 673*
transferrin types, 673*
uterus impaired, fertility, 878
cystic corpora lutea, 878
ovaries, 878
eosinophils in endometrium, 879
lymph accumulation, 882
nodules, 881
vaginal thermal conductance, 1058
17 beta-estradiol injected, 1059
apparatus, 1059
data plots, 1060
estrus prediction, 1061
zone cooling of semen, 306[S]
RICOTTA CHEESE
coagulant assay, mixtures, 994
ROQUEFORT CHEESE
coagulant assay, mixtures, 994
RUMEN
acidosis, metabolites therefrom, 671*
ammonia, ration composition, 663*
aspen roughage, fatty acids, 1295
catabolism, metabolism, bacteria, 757
amino acids, 759
cellulytic activity, 701
glucose utilization, 758, 760
methionine utilization, 759
cow response to rumen bacteria, 643*
methylindole, pulmonary emphysema, 671*
protein protection, in vitro, 689*
ration ensiled complete, 648*
roughage restricted, insulin, 376
strontium indicator, rumen, 1567
recovery from rumen, 1568
whey-roughage, fatty acids, 913

SHEEP
alpha-casein analysis, 171
amino acids, 173
fractionations, 172
mole wt, 175
starch-gel electrophoresis, 174
blood amino acid absorption, 665*
energy intravenously infused, 1340
corn oil, triglycerides, 1340
blood glucose, 1342
nitrogen balance, 1341, 1342
intake predictors, 642*
fatty acid synthesis, 1312
enzyme activities, 1314
fatty acid patterns, 1314
substrates, 1314
pathways, 1315
feed intake, Mg, 823
forage chopped, diets, 670*
gastrointestinal absorption, 664*
immunoglobulins, lambs, 670*
nitrogen and high ration fiber, 663*
roughages ensiled, NaCl, 233
composition changes, 234
digestibility in sheep, 237, 238
in vitro, 234
organic acids, 236
pH, 236
rumen fatty acids, 239
SILAGE
acetate tolerance in steers, 645*
ammonia-treated corn, 1283
acetic, lactic acids, 1284
concentrates, 1285
dry matter intake, 1288
milk production, 1286
nitrogen, 1284
nonprotein, 1286
urea, 1284
concentrates blended, ensiled forage, 307[S]
digestibilities, 308[S]
production, 308[S]
concentrates supplemented, 644*
corn, alfalfa, alfalfa haylage, 1531
corn, energy source, 588, 589
corn grain blighted, 308[S]
corn, high-sugar, sterile, 1439
composition of rations, 1441
digestibility, 1442
field yields, 1441
production, 1443
corn or sorghum, 313[S]
Dasanit-treated for cows, 775
metabolites, feces, milk, urine, 781
time-spaced feeding, 777
vital organs, 781
fatty acids, 679*
formaldehyde-formic acid-treated, 229
digestibility, 231
dry matter recovery, 231
intake and growth, 231
pH, 231
forage, energy, 588, 589
formic acid-treated, 129, 677*
composition, 131
organic acids, 133
digestibility, 133, 134
growth of heifers, 134
fungal growth, 679*
hay with and without, 915
lactic acid, 678*
moisture high, urea, 677*
moldy, *Aspergillus fumigatus*, 829
molybdenum, 681*
nitrogen, 678*
nitrogen + corn, 1385[NE]
organic acid-treated, 679*
propionic acid, 678*
propionate-treated corn, 678*
roughage ensiled, with NaCl, 233
composition changes, 234
digestibility, 234
organic acids, 236
rumen fatty acids, 239
sorghum grain, high moisture vs. dry, 306[S]
soybean meal, 678*
sunflower vs. corn silage, 1384[NE]
urea, 678*
SIRES
correlation summary, 661*
crossbreds vs. purebreds, 313[S]
evaluation, adjusted lactations, 602
days open for 5 breeds, 603
evaluation in U.S., 603
2,000 daughters, 604
records adjusted, 603
fertility measurements, 673*
first, second lactation summaries, 662*
herdmates vs. contemporaries, 1545
herdmate yields, 661*
semen criteria, ejaculations, 399
ejaculates per bull, 401

minimum, 402
sixteen criteria, 400
sire-son type relationships, 1164
sire-son pairs, mean, SD, 1165
AI, non-AI, 1167
correlations, 1166
progeny, 1169
regressions, 1166
transferrin type, 673*
trait types, combining ability, 1885
analysis 11 traits, 1088
heritabilities, 1089
variances, 1088
transmitting ability estimates, 673*, 949
SKIM MILK
casein micelles, mole wt, 66, 415
centrifugation, 415
diffusion, 67
light scattering, 416
sedimentation, 416
viscosity, 67
casein micelles, viscosity, voluminosity, 702
literature, 699
cadmium polarographic analysis, 1479
anode stripping, 1482
ashing temp, 1481
recoveries, 1483
standard curve, 1482
cholesterol, phospholipids, 1473
globule membrane, cheese flavor, 719, 720
composition, 719, 721
iron fortification, oxidation, 1139
flavor, 1140, 1141, 1142
plasma membrane material, 978
enzymes, 980
cholesterol, cytomembrane, phospholipids, triglycerides, 980
micrographic membrane system, 981
ultracentrifugal opalescent layer, composition, 544
appearance, location, 544
Ca:P ratios, 546, 551
heated, raw skim milk, 454
pH, 550
sulfur, 546
temperature, 548
casein solvation, 549, 551
translucent composition, 547
ultracentrifugal opalescent layer, micelles, 1258
electron microscopy, 1261
raw, heated skim milk pellets, 1264-65
electropherograms, skim milk, 1264-65
gel filtration, 1259, 1260
inelastic light scattering, 1260
rate-zone centrifugation, 1259
ultracentrifugal opalescent layer, casein, lipids, 1389
centrifugation, 1391, 1390
micelles, 1390
distribution, 1392
protein content, 1391
electropherograms, 1392
lipid amounts, composition, 1393
STARTERS
antibiotic sensitivity, 638*
cheese culture growth, stimulatory factor, 423
activity in dialysate, 425
retentate, 425
cell-free *S. cremoris* strains, 425
S. lactis inhibitors, 638*
S. lactis strain inhibitory, enterotoxins, 707
Leuconostoc citrovorum inhibitors, 638*
STEERS
acetate and feed intake, 311[8]
garbage-fed, 311[8]
sulfur metabolism, 106
ration utilization, 106
cellulose digestion, 108
nutrient intake, 109
sulfur digestibility, source, 108
STERILE CONCENTRATED MILK
odorous compounds, 328
acid, nonacid fractions, 329
STERILE MILK
staphylococcal inhibition by lactic cultures, 706
S. aureus enterotoxins, A, B, C, D, 707, 708
SWISS CHEESE
S. aureus growth during manufacture, 432
enterotoxin A, 429
SYMPOSIA
age adjustment, 941
animal waste management, 1354
milk composition, variability, marketing, 263
milk synthesis, 1185
modern concepts: waste management systems, 495
dairy facility investments, 488

TEACHING
computer-assisted breeding instruction, 1287
genetic populations, 1208
quantitative, 1210
Plato system, 1207

VITAMINS
E status, 647*
hypervitaminosis, calf, 252
hypovitaminosis, calf, 245
supplementation, 245
niacin, riboflavin, thiamin analysis, 637*

WASTE DISPOSAL
alternative solutions, 1375
androgenicity of barn wastes, 640*
chick comb assay, 640*
barnyard, milkhouse waste, 655*
dairy lipids analysis, 636*
land disposal of animal waste, 1367
chemicals in feedlot runoff, 1368
ammonium, 1370
corn yields, 1370
forage nitrate, 1309
feedlot manure, 1371
P content, 1371
manure on dairy farms, 681*
WATER
kinetics in bovine, 581
dairy plant survey, oxygen demands, 625*
manure pollution, 681*
molybdenum, 681*
nitrate analysis, 305[8]
nitrate titration, azo dye, 1472
sorption, fluid, unfreezable, 985, 986
WHEY
composition, 313[8]
delactosed, 632*
feeding mechanics, 681*
fermented, digestible + alfalfa, 644*
foam stability, whippability, 1505
composition, 1506
foam appearance, 1509
heat-labile protein, 1509
overrun, 1509
preparation, 1506
total solids, 1507, 1509
irradiated, gel chromatograms, 406

alpha-lactalbumin, 407
beta-lactoglobulin, 407
casein, 407
nonprotein fraction, 407
lactose crystallization, 1492
clarification, 1492, 1493
protein, 1494
pH, 1494
protein removal, 1493
thread-like aggregates, 1495
amino acids, composition, 1496
lipid composition, 635*
lysine in dried products, 1498
lysine in roller-dried, 1499
spray-dried, 1499, 1500
foam-dried, 1499, 1500
ultrafiltrate, 1502
losses, 1499, 1500
microorganisms growth, 26
milk replacer, rumen-fed calves, 665*
powder solubility, stability, 1128
composition. amino acids, 1130, 1135
constituents, 1129
minerals, 1121
phospholipids, 1132
vitamins, 1133
solubility, 1133
stability, 1129
powder acid blends, 633*
powder deproteinized, 631*
protein concentrate, 632*
protein concentrates water binding, 984
heat of fusion, 985
concentrate composition, 985
unfreezable water, 985
water sorption, 986
protein denaturation, 76
temperature vs. time, 78
vs. pH, 79
vs. solids, 80
response plots, 78, 79, 80
gel electropherograms, 81, 82, 83
protein foaming properties, 635*
protein in vitro protection, 680*
protein recovery, hexametaphosphate, 988
cations and removal, 989
gel filtration, 991
ion exchange, 991
protein electropherograms, 990, 992
roughage restricted, 910
soy beverage, water sorption, 688
sulfhydryl, disulfide from heat treatment, 1331
electrophoretic patterns, globulin denaturation, heat-denatured proteins, 1334

YOGURT
protein digestibility, 626*

ZEBU BREED
heat exposure, water restriction, vasopressin, 642*
Zinc, deficiency in goat, 98
low intake in cows, 212
metabolism, secretion, halflife, 1526

ERRATA

Hillers et al. 1971. 54:188. In Table 1, column titled, "Total milk production," delete zeros in units and tens positions.

Gill. 1971. 54:370. Middle of outer column. In description of Lohrding's test, "s^2 is the variance estimated from both samples combined as in the ordinary t-test of one mean." Original erroneously says "two means."

Hargrove et al. 1971. 54:1046. Second sentence of only paragraph beginning in outer column. Corrected sentence: However, effects of summer versus winter seasons were contradictory between breeds. Original erred in reading "herds."

Ibraham et al. 1972. 55:97. By error 1-2 diaminoethylphosphoric acid was used in place of 2 aminoethylphosphoric acid (eluted at 27 to 28 min) in the amino acid standard.

Nielsen et al. 1973. 56:81. Photographs of Fig. 4 and 5 are interchanged.

Kumar et al. 1973. 56:255. Immunoglobulin in title, abstract, and Table 1 should be identified IgM. Outer column, **Sedimentation constants,** first sentence should read, "We measured sedimentation constants with a Beckman. . . . . ."

Gilbert et al. 1973. 56:409. Inner column, last sentence of first paragraph of Introduction should be, "Sammons (5) and Schmidt (6) reported a decrease in fat. . . ." Printed is "an increase."

Mavropoulou et al. 1973. 56:1135. Outer column, line 5, delete "hydrolyzed with 6 N hydro-."